INDEX TO VOLUME 90

The Index for Volume 90 consists of three parts: (1) Author and Subject Index, (2) Fungus Taxa Index, and (3) Host Index.

AUTHOR AND SUBJECT INDEX

Abbott, S. P., L. Sigler and R. S. Currah Microascus brevicaulis sp. nov., the teleomorph of Scopulariopsis brevicaulis, supports placement of Scopulariopsis with the Microascaceae. 297–302

Abdullah, S. K., J. Cano, E. Descals and J. Guarro A new species of Helicoon from Mallorca, Spain. 916–920

aflatoxins
  Aspergillus 767–776

Al-Mughrabi, Khalil I. and Tom Hsiang The mating system of Daedaliopsis confragosa. 82–84

Albertó, E., A. Fazio and J. E. Wright Reevaluation of Hohenbuehelia nigra and species with close affinities. 142–150

Alderman, S. C. Gloeotinia temulenta and G. granigena, two distinct species. 422–426

Alexander, H. M. see Oudemans, P. V. et al.

Alexopoulos, C. J. Introductory Mycology [Review of] 155–156

Allen, M. F. see Rillig, M. C. et al.

Altizer, S. see Oudemans, P. . et al.

anamorph-teleomorph connections 297–302

Andrianaivo, A. P. see Nirenberg, H. I. et al.

anisogamy
  Mortierella 1040–1046

antagonism
  peach bark fungi 947–953

antifungal activity
  Ascosphaeria 937–946

Antonovics, J. see Oudemans, P. V. et al.

aquatic macrophytes 1075–1078

arbuscular mycorrhizas 199–205

Ascomycota 282–289, 297–302, 323–329

attine fungi 971–979

Aust, H.-J. see Peters, S. et al.

Ausubel, F. M. see Plotnikova, J. M. et al.

Azcon-Aguilar, C. see Piche, Y. et al.

Babadoost, M. and M. R. Johnston Sporulation of Drechslera graminea on barley straw extract agar. 63–68

Backhouse, D. see Summerell, B. A. et al.

Bago, B. see Piche, Y. et al.

ballistospore discharge 547–558

Bandala, V. M., L. Montoya and H. Egon New data on the genus Phaecollybia based on type studies. 118–124

Bång, Å. see Winka, K. et al.

Banik, M. T. and H. H. Burdsall Jr. Assessment of compatibility among Armillaria cepistipes, A. sinapina and North American biological species X and XI, using culture morphology and molecular biology. 798–805

Baral, H. O. see Kohlmeyer, J. et al.

Bärlocher, F. see Marvanova, L. et al.

Baroni, T. J. and D. J. Lodge Alboleptonia from the Greater Antilles. 680–696

Bauer, R. see Vanky, K. et al.

Bécard, G. see Séjalon-Delmas, N. et al.

Begerow, D. see Vanky, K. et al.

Benny, G. L. see O'Donnell, K. et al.

Bergen, M. S. see Reddy, P. V. et al.

Berndt, R. New species of neotropical rust fungi. 518–526

Bessette, A. E., O. K. Miller Jr., A. R. Bessette and H. H. Miller Mushrooms of North America in Color. A Field Guide Companion to Seldom-Illustrated Fungi [Review of] 740–741

Bibliography
  Shaw, Charles Gardner 927–929
  Corner, E. J. H. 732–737

Bidochka, M. J. see Melzer, M. S. et al.

Binz, T., N. D'Mello and P. A. Horgen A comparison of DNA methylation levels in selected isolates of higher fungi. 785–790

Biocca, E. see Urbanelli, S. et al.

biochemical taxonomy
  Tuber 537–546

biogeography
  Balansia 108–117

biological control
  Fusarium 459–464
  gypsy moth 754–760
  Ophiostoma 69–75

biological species 382–388

biomechanics
  basidiospore discharge 547

Bisen, P. see Varma, A. et al.

Blackwell, M. see Suh, S.-O. et al.

blind seed disease 422–426

Boekhout, T. see Muller, W. H. et al.

Bonde, M. R. see Luster, D. G. et al.

book reviews 155–156, 738–742, 930–935, 1091–1095

Boyd, M. L. and L. M. Carris Evidence supporting the separation of the Vulpia- and Bromus-infecting isolates in the Tilletia fisca (T. bromi) complex. 1031–1039

Boyd, M. L., L. M. Carris and P. M. Gray Characterization of Tilletia goloskokovii and allied species. 310–322

Brandrud, T. E., H. Lindström, H. Marklund and J. Merlot Cortinarius Flora Photographica [Review of] 739–740

Bruns, T.D. see Roy, B. A. et al.
—— see Vogler, D. R. et al.

Bruton, B. D. see Farr, D. F. et al.

Buck, J. W. and J. A. Traquair Influence of iron depletion on interactions between peach bark fungi in vitro. 947–953

Bullini, L. see Urbanelli, S. et al.

Bullock, S. see Summerell, B. A. et al.

Burdsall Jr., H. H. see Banik, M. T. et al.
—— see Nakasone, K. K. et al.

Burgess, L. W. see Summerell, B. A. et al.

Bütehorn, B. see Varma, A. et al.

Cano, J. see Abdullah, S. K. et al.

cantaloupe 290–296

Carris, L. M. and R. A. Humber Neozygites parvispora, a pathogen of Limothrips sp. Associated with Lolium multiflorum in Oregon. 565–568

Carris, L. M. see Boyd, M. L. et al.
—— see Boyd, M. L. et al.
—— see Pimentel, G. et al.
—— see Rogers, J. D. et al.

Cartapip 69–75

Casado, M. A. see Persiani, A. M. et al.

Castellano, M. A. [Review of] Fungi of Australia 2A: Catalogue and Bibliography of Australian Macrofungi 1. Basidiomycota. 738

Castlebury, L. A. and L. L. Domier Small subunit ribosomal RNA gene phylogeny of Plasmodiophora brassicae. 102–107

Caten, C. E. see Newton, A. C. et al.

Cavender, J. C. see Vadell, E. M. et al.

centrum
  Melanospora 655–666

Chamuris, G. P. and C. J. K. Wang Stenocephalopsis, not Stenocephalum as the genus for Rhinotrichum subalutaceum Peck. 548–548

chemotaxis
  Halophytophthora 1001–1008

Chen, X. see Ospina-Giraldo, M. D. et al.

Chiu, S.-W. and D. Moore Patterns in Fungal Development [Review of] 932–933

chlamydospores
  Fusarium 414–421

Choi, H.-S. and H.-H. Shin Purification and partial characterization of fibrinolytic protease in Pleurotus ostreatus. 674–679

Christ, B. J. see Weir, T. L. et al.

Cigelnik, E. see O'Donnell, K. et al.
—— see O'Donnell, K. et al.

cladistic analysis
  Sarcoscypha 235–243

Clark, J. D. and E. F. Haskins Heterothallic mating systems in the Echinostelium minutum complex. 382–388

Cochrane, B. J. see Nelson, R. T. et al.

Comport, S. see Gordon, V. et al.

conidial appendage
  Septoria 189–198

continuous culture

INDEX TO VOLUME 90

The Index for Volume 90 consists of three parts: (1) Author and Subject Index, (2) Fungus Taxa Index, and (3) Host Index.

AUTHOR AND SUBJECT INDEX

Abbott, S. P., L. Sigler and R. S. Currah Microascus brevicaulis sp. nov., the teleomorph of Scopulariopsis brevicaulis, supports placement of Scopulariopsis with the Microascaceae. 297–302

Abdullah, S. K., J. Cano, E. Descals and J. Guarro A new species of Helicoon from Mallorca, Spain. 916–920

aflatoxins
  Aspergillus 767–776

Al-Mughrabi, Khalil I. and Tom Hsiang The mating system of Daedaliopsis confragosa. 82–84

Albertó, E., A. Fazio and J. E. Wright Reevaluation of Hohenbuehelia nigra and species with close affinities. 142–150

Alderman, S. C. Gloeotinia temulenta and G. granigena, two distinct species. 422–426

Alexander, H. M. see Oudemans, P. V. et al.

Alexopoulos, C. J. Introductory Mycology [Review of] 155–156

Allen, M. F. see Rillig, M. C. et al.

Altizer, S. see Oudemans, P. . et al.

anamorph-teleomorph connections 297–302

Andrianaivo, A. P. see Nirenberg, H. I. et al.

anisogamy
  Mortierella 1040–1046

antagonism
  peach bark fungi 947–953

antifungal activity
  Ascosphaeria 937–946

Antonovics, J. see Oudemans, P. V. et al.

aquatic macrophytes 1075–1078

arbuscular mycorrhizas 199–205

Ascomycota 282–289, 297–302, 323–329

attine fungi 971–979

Aust, H.-J. see Peters, S. et al.

Ausubel, F. M. see Plotnikova, J. M. et al.

Azcon-Aguilar, C. see Piche, Y. et al.

Babadoost, M. and M. R. Johnston Sporulation of Drechslera graminea on barley straw extract agar. 63–68

Backhouse, D. see Summerell, B. A. et al.

Bago, B. see Piche, Y. et al.

ballistospore discharge 547–558

Bandala, V. M., L. Montoya and H. Egon New data on the genus Phaecollybia based on type studies. 118–124

Bång, Å. see Winka, K. et al.

Banik, M. T. and H. H. Burdsall Jr. Assessment of compatibility among Armillaria cepistipes, A. sinapina and North American biological species X and XI, using culture morphology and molecular biology. 798–805

Baral, H. O. see Kohlmeyer, J. et al.

Bärlocher, F. see Marvanova, L. et al.

Baroni, T. J. and D. J. Lodge Alboleptonia from the Greater Antilles. 680–696

Bauer, R. see Vanky, K. et al.

Bécard, G. see Séjalon-Delmas, N. et al.

Begerow, D. see Vanky, K. et al.

Benny, G. L. see O'Donnell, K. et al.

Bergen, M. S. see Reddy, P. V. et al.

Berndt, R. New species of neotropical rust fungi. 518–526

Bessette, A. E., O. K. Miller Jr., A. R. Bessette and H. H. Miller Mushrooms of North America in Color. A Field Guide Companion to Seldom-Illustrated Fungi [Review of] 740–741

Bibliography
  Shaw, Charles Gardner 927–929
  Corner, E. J. H. 732–737

Bidochka, M. J. see Melzer, M. S. et al.

Binz, T., N. D'Mello and P. A. Horgen A comparison of DNA methylation levels in selected isolates of higher fungi. 785–790

Biocca, E. see Urbanelli, S. et al.

biochemical taxonomy
  Tuber 537–546

biogeography
  Balansia 108–117

biological control
  Fusarium 459–464
  gypsy moth 754–760
  Ophiostoma 69–75

biological species 382–388

biomechanics
  basidiospore discharge 547

Bisen, P. see Varma, A. et al.

Blackwell, M. see Suh, S.-O. et al.

blind seed disease 422–426

Boekhout, T. see Muller, W. H. et al.

Bonde, M. R. see Luster, D. G. et al.

book reviews 155–156, 738–742, 930–935, 1091–1095

Boyd, M. L. and L. M. Carris Evidence supporting the separation of the Vulpia- and Bromus-infecting isolates in the Tilletia fisca (T. bromi) complex. 1031–1039

Boyd, M. L., L. M. Carris and P. M. Gray Characterization of Tilletia goloskokovii and allied species. 310–322

Brandrud, T. E., H. Lindström, H. Marklund and J. Merlot Cortinarius Flora Photographica [Review of] 739–740

Bruns, T.D. see Roy, B. A. et al.
—— see Vogler, D. R. et al.

Bruton, B. D. see Farr, D. F. et al.

Buck, J. W. and J. A. Traquair Influence of iron depletion on interactions between peach bark fungi in vitro. 947–953

Bullini, L. see Urbanelli, S. et al.

Bullock, S. see Summerell, B. A. et al.

Burdsall Jr., H. H. see Banik, M. T. et al.
—— see Nakasone, K. K. et al.

Burgess, L. W. see Summerell, B. A. et al.

Bütehorn, B. see Varma, A. et al.

Cano, J. see Abdullah, S. K. et al.

cantaloupe 290–296

Carris, L. M. and R. A. Humber Neozygites parvispora, a pathogen of Limothrips sp. Associated with Lolium multiflorum in Oregon. 565–568

Carris, L. M. see Boyd, M. L. et al.
—— see Boyd, M. L. et al.
—— see Pimentel, G. et al.
—— see Rogers, J. D. et al.

Cartapip 69–75

Casado, M. A. see Persiani, A. M. et al.

Castellano, M. A. [Review of] Fungi of Australia 2A: Catalogue and Bibliography of Australian Macrofungi 1. Basidiomycota. 738

Castlebury, L. A. and L. L. Domier Small subunit ribosomal RNA gene phylogeny of Plasmodiophora brassicae. 102–107

Caten, C. E. see Newton, A. C. et al.

Cavender, J. C. see Vadell, E. M. et al.

centrum
  Melanospora 655–666

Chamuris, G. P. and C. J. K. Wang Stenocephalopsis, not Stenocephalum as the genus for Rhinotrichum subalutaceum Peck. 548–548

chemotaxis
  Halophytophthora 1001–1008

Chen, X. see Ospina-Giraldo, M. D. et al.

Chiu, S.-W. and D. Moore Patterns in Fungal Development [Review of] 932–933

chlamydospores
  Fusarium 414–421

Choi, H.-S. and H.-H. Shin Purification and partial characterization of fibrinolytic protease in Pleurotus ostreatus. 674–679

Christ, B. J. see Weir, T. L. et al.

Cigelnik, E. see O'Donnell, K. et al.
—— see O'Donnell, K. et al.

cladistic analysis
  Sarcoscypha 235–243

Clark, J. D. and E. F. Haskins Heterothallic mating systems in the Echinostelium minutum complex. 382–388

Cochrane, B. J. see Nelson, R. T. et al.

Comport, S. see Gordon, V. et al.

conidial appendage
  Septoria 189–198

continuous culture

arbuscular mycorrhizal fungi 579–585
Correll, J. C. see Harp, T. L. et al.
Cotty, P. J. see Feibelman, T. P. et al.
Crane, J. L. see Fallah, P. M. et al.
Crous, P. W. see Decock, C. et al.
see Kaiser, W. J. et al.
Cruickshank, M. G. see White, E. E. et al.
cultures
arbuscular mycorrhizal fungi 579–585
Currah, R. S. see Abbott, S. P. et al.
see Hambleton, S. et al.
Currah, R. S., R. A. Stockey and B. A. LePage An Eocene tar spot on a fossil palm and its fungal hyperparasite. 667–673
cytoplasmic maceration
Rhizoctonia 170–179
cytosine methylation
Agaricus 785–790
D'Mello, N. see Binz, T. et al.
De Vito, E. see Urbanelli, S. et al.
Declerck, S., D. G. Strullu and C. Plenchette Monoxenic culture of the intraradical forms of Glomus sp. isolated from a tropical ecosystem: a proposed methodology for germplasm collection. 579–585
Decock, C. and P. W. Crous Curvicladium gen. nov., a new hyphomycete genus from French Guiana. 276–281
Decock, C., V. Robert and A. J. Masuka Heliocephala zimbabweensis sp. nov. from southern Africa. 330–333
Degawa, Y. and S. Tokumasu Two new homothallic species of Mortierella, M. cogitans, and M. microzygospora, and their zygospore formation. 1040–1046
Descals, E. see Abdullah, S. K. et al.
Desjardin, D. E. [Review of] Cortinarius Flora Photographica. 739–740
development
Armillaria 396–405
Glomus 52–62
Melanospora 655–666
developmental anatomy
Polymyxa 869–882
diplanetism
Phytophthora 269–275
disease epidemiology
Ustilago 372–381
disjunct distribution
Pleurotopsis 595–600
distribution
Aspergillus in soil 767–776
Basidiobolus and Conidiobolus 761–766
soil fungi 206–214
diversity
soil fungi 206–214
Domier, L. L. see Castlebury, L. A. et al.
Donoghue, M. J. see Hibbett, D. S. et al.
Dorner, J. W. see Horn, B. W. et al.
Doss, P. J. see Littlefield, L. J. et al.
Doster, M. A. see Feibelman, T. P. et al.
Douds Jr., D. D. see Sejalon-Delmas, N. et al.
Draeger, S. see Peters, S. et al.
dsRNA
entomopathogenic fungi 586–594
Du, X. and J. T. Mullins Ca2+-induced sporulation in Achlya bisexualis: reserve 1,3-B-glucans provide both carbon and phosphorus. 990–994
Dubetz, C. P. see White, E. E. et al.
dwarf bunt 310–322
ecology
Basidiobolus and Conidiobolus 761–766
endophytic fungi 357–359, 569–578, 761
Egger, K. N. see Hambleton, S. et al.
Egon, H. see Bandala, V. M. et al.
eicosanoids
Malassezia 163–169
Elson, M. K., D. A. Schisler and M. A. Jackson Carbon-to-nitrogen ratio, carbon concentration, and amino acid composition of growth media influence conidiation of Helminthosporium solani. 406–413
endophytes 226–234
epizootiology
Entomophaga 754–760
Eriksson, O. E. see Winka, K. et al.
Erwin, D. C. and O. K. Ribeiro Phytophthora Diseases Worldwide [Review of] 1092–1093
Esteve Raventós, F., M. Villarreal and M. Heykoop Phaeomaramiu gypsophilus, a new species from gypiferous plant communities in central Spain. 151–154
Evans, H. C. see Suh, S.-O. et al.
evolution
Aspergillus 831–845
extraction of spores
ectomycorrhizal fungi 47–51
Faeth, S. H. see Schulthess, F. M. et al.
Fallah, P. M. and C. A. Shearer Freshwater Ascomycetes: Phomatospora spp. from lakes in Wisconsin. 323–329
Fallah, P. M., C. A. Shearer and J. L. Crane Freshwater Ascomycetes: Phaeosphaeria barriae sp. nov. from lakes in Wisconsin. 1075–1078
Farr, D. F., M. E. Miller and B. D. Bruton Rhizopycnis vagum gen. et sp. nov., a new coelomycetous fungus from roots of melons and sugarcane. 290–296
Fazio, A. see Alberto, E. et al.
Feibelman, T. P., P. J. Cotty, M. A. Doster and T. J. Michailides A morphologically distinct strain of Aspergillus nomius. 618–623
Ferrara, A. M. see Urbanelli, S. et al.
fertilization
arbuscular mycorrhizae 199–205
fibrin
Pleurotus 674–679
Field, C. B. see Rillig, M. C. et al.
fluorescence
Gigaspora 921–926
fossil fungi 667–673
Frank, J. M. see Nirenberg, H. I. et al.
Franken, P. see Varma, A. et al.
freeze-fracturing
Rhizoctonia 170–179
Frisvad, J. C. see Geiser, D. M. et al.
Fukuda, K. see Ota, Y. et al.
Gams, W. and W. Meyer What exactly is Trichoderma harzianum? 904–915
Gathman, A. C. see Hummel, K. M. et al.
Geiser, D. M., J. C. Frisvad and J. W. Taylor Evolutionary relationships in Aspergillus section Fumigati inferred from partial B-tubulin and hydrophobin DNA sequences. 831–845
genetic identification
Tuber 389–395
genetic marker
Magnoporthe 954–963
Ginns, J. Genera of the North American Corticiaceae sensu lato. 1–35
see Watling, R. et al.
Goh, T.-K. and R. T. Hanlin Ultrastructural observations of ascomal development in Melanospora zamiae. 655–666
Goh, T.-K., K. D. Hyde and T. E. Umali Two new species of Diplococcium from the tropics. 514–517
Goh, T. K. see Tsui, K. M. et al.
Gordon, V. and S. Comport Comparison of three methods for extraction of spores of ectomycorrhizal fungi from mammal scats. 47–51
Gray, L. see Li, S. et al.
Gray, P. M. see Boyd, M. L. et al.
Grigg, R. D. see Lichtwardt, R. W. et al.
Guarro, J. see Abdullah, S. K. et al.
Guzman, G. and F. Tapia The known morels in Mexico, a description of a new blushing species, Morchella rufobrunnea, and new data on M. guatemalensis. 705–714
gypsophilus
Phaeomarasmius 151–154
Hack, M. A. see Luster, D. G. et al.
Hajek, A. E., K. M. Tatman, P. H. Wanner and M. M. Wheeler Location and persistance of cadavers of gypsy moth, Lymantria dispar, containing Entomophaga maimaiga azygospores. 754–760
Hallenberg, N. and E. Parmasto Phylogenetic studies in species of Corticiaceae growing on branches. 640–654
halophytes 303–309
Hambleton, S., K. N. Egger and R. S. Currah The genus Oidiodendron: species delimitation and phylogenetic relationships based on nuclear ribosomal DNA analysis. 854–869
Hanlin, R. T. see Goh, T.-K. et al.
Hansen, L. and H. Knudsen Nordic Macromycetes, vol. 3 [Review of] 741–742
Hantula, J. see Kaitera, J. et al.
haplolethal deficiency
Ustilago 372–381
Harada, Y. see Wei, C. Z. et al.
Hardham, A. R. see Weerakoon, N. D. et al.
Harp, T. L. and J. C. Correll Recovery and characterization of spontaneous, selenate-resistant mutants of Magnaporthe grisea, the rice blast pathogen. 954–963
Harrington, F. A. Relationships among Sarcoscypha species: evidence from molecular

and morphological characters. 235–243
Harrington, T. C. see Witthuhn, R. C. et al.
Hartman, G. L. see Li, S. et al.
Haskins, E. F. see Clark, J. D. et al.
Hassan, Z. M. see Littlefield, L. J. et al.
Hassel, A. see Varma, A. et al.
Heath, M. C. [Review of] Molecular Aspects of Pathogenicity and Resistance: Requirement for Signal Transduction. 931–932
Hennen, J. F., H. M. P. Sotao and M. M. Winkler Hennen The genus Diorchidium in the Neotropics. 1079–1086
herbicidal metabolites 360–367
heterokaryons
Stagonospora 215–225
Heykoop, M. see Esteve Raventos, F. et al.
Hibbett, D. S. and M. J. Donoghue Integrating phylogenetic analysis and classification in fungi. 347–356
Hoch, H. C. see Shaw, B. D. et al.
Hodge, K. T., R. A. Humber and C. A. Wozniak Cordyceps variabilis and the genus Syngliocladium. 743–753
Hodgkiss, I. J. see Tsui, K. M. et al.
Horgen, P. A. see Binz, T. et al.
Horn, B. W. and J. W. Dorner Soil populations of Aspergillus species from section Flavi along a transect through peanut-growing regions of the United States. 767–776
Hsiang, Tom see Al-Mughrabi, Khalil I. et al.
Huff, D. R. see Weir, T. L. et al.
Hughes, K. W., T. L. Toyohara and R. H. Petersen DNA sequence and RFLP analysis of Pleurotopsis longinqua from three disjunct populations. 595–600
Huhndorf, S. M. Neotropical Ascomycetes 6. A new species of Ostropella from French Guiana. 527–530
Humber, R. A. see Carris, L. M. et al.
—— see Hodge, K. T. et al.
Hummel, K. M., A. L. Inselman, E. R. Ramos, A. C. Gathman and W. W. Lilly Extracellular protease produciton by submerged cultures of Schizophyllum commune. 883–889
Hyde, K. D. Biodiversity of Tropical Microfungi [Review of] 933–935
—— see Goh, T.-K. et al.
—— see Ranghoo, V. M. et al.
—— see Tsui, K. M. et al.
hyphal morphogenesis
Glomus 52–62
Hywel-Jones, N. L. see Samuels, G. J. et al.
incompatibility groups
Armillaria 798–805
Pleurotus 1063–1074
infection intensity
arbuscular mycorrhizae 199–205
insect pathology
Coelomomyces 559–45
Inselman, A. L. see Hummel, K. M. et al.
intergenic spacer
Armillaria 125–131
interpopulation genetic distance
Alternaria 813–821
intramictic reproduction
Agaricus 806–812
iron limitation
peach bark fungi 947–953
isozyme analysis
Tuber 537–546
Iturriaga, T., R. P. Korf and P. Lizon Zugazaea agyrioides, an odd new genus and species from Macaronesia. 697–700
Jackson, M. A. see Elson, M. K. et al.
Jacobs, K. A. and S. A. Rehner Comparison of cultural and morphological characters and ITS sequences in anamorphs of Botryosphaeria and related taxa. 601–610
Johnson, J. and R. Vilgalys Phylogenetic systemtics of Lepiota sensu lato based on nuclear large subunit rDNA evidence. 971–979
Johnston, M. R. see Babadoost, M. et al.
Jones, E. B. G. see Leano, E. M. et al.
Ju, Y.-M. and J. D. Rogers A Revision of the Genus Hypoxylon [Review of] 930–931
Juba, J. H. see Marasas, W. F. O. et al.
Kaiser, W. J. and P. W. Crous Mycosphaerella lupini sp. nov., a serious leaf spot disease of perennial lupin in southcentral Idaho, USA. 726–731
Kaitera, J. and J. Hantula Melampyrum sylvaticum, a new alternate host for pine stem rust Cronartium flaccidum. 1028–1030
Katumoto, K. see Wei, C. Z. et al.
key
Albeloptonia 694–695
Ascotaiwania 1060–1061
Cylindrocladium-like 280–281
Diorchidium 1085
Fusarium 453–455
Helicoon 918–919
Hohenbuehelia 142
Macrocybe 497
Morchella 712
Mortierella 1040–1046
Parepichloe 226–234
Polysphondylia 723–724
Saccardoella 703–704
Tricholomatoid agarics 496
Klepzig, K. D. Competition between a biological control fungus, Ophiostoma piliferum, and symbionts of the southern pine beetle. 69–75
Klironomos, J. N. see Rillig, M. C. et al.
Knoblett, J. see Youssef, N. N. et al.
Kohlmeyer, J., H. O. Baral and B. Volkmann-Kohlmeyer Fungi on Juncus roemerianus. 10. A new Orbilia with ingoldian anamorph. 303–309
Koljalg, U. Tomentella (Basidiomycota) and Related Genera in Temperate Eurasia [Review of] 738–739
Korf, R. P. see Iturriaga, T. et al.
Kost, G. see Varma, A. et al.
Kroschel, J. see Nirenberg, H. I. et al.
Kuo, K. C. see Shaw, B. D. et al.
Landolt, J. C. see Stephenson, S. L. et al.
Largent, D. L. [Review of] Mushrooms of North America in Color. A Field Guide Companion to Seldom-Illustrated Fungi. 740–741
Larsen, M. J. [Review of] Tomentella (Basidiomycota) and Related Genera in Temperate Eurasia. 738–739
Laursen, G. A. see Stephenson, S. L. et al.
Leaño, E. M., L. L. P. Vrijmoed and E. B. G. Jones Zoospore chemotaxis of two mangrove strains of Halophytophthora vesicula from Mai Po, Hong Kong. 1001–1008
lectin
Tilletia 180–188
Lehnen Jr., L. P. see Weerakoon, N. D. et al.
Leoni, J. see Plotkin, L. I. et al.
LePage, B. A. see Currah, R. S. et al.
Levy, L. see Pimentel, G. et al.
Leyval, C. see Vandenkoornhuyse, P. et al.
Li, S., G. L. Hartman and L. Gray Chlamydospore formation, production, and nuclear status in Fusarium solani f. sp. glycines soybean sudden death syndrome-causing isolates. 414–421
Lichtwardt, R. W. and R. D. Grigg Four new Smittium species inhabiting the hindgut of Chironomidae larvae. 427–433
Lilly, W. W. see Hummel, K. M. et al.
limnetic
Phaeosphaeria 1075–1078
Phomatospora 323–329
Littlefield, L. J., J. H. Whallon, P. J. Doss and Z. M. Hassan Postinfection development of Polymyxa graminis in roots of Triticum aestivum. 869–882
Lizon, P. see Iturriaga, T. et al.
Lodge, D. J. [Review of] Patterns in Fungal Development. 932–933
—— see Baroni, T. J. et al.
—— see Nakasone, K. K. et al.
—— see Pegler, D. N. et al.
Logrieco, A. see Marasas, W. F. O. et al.
Lucarotti, C. J. see Shoulkamy, M. A. et al.
Luster, D. G., M. R. Bonde, G. L. Peterson, M. A. Hack and N. W. Schaad Antigenic glycoproteins in the teliospore wall of Tilletia indica. 180–188
Maggi, O. see Persiani, A. M. et al.
Magnier, A. see Sejalon-Delmas, N. et al.
Mamoun, M. see Moquet, F. et al.
Manandhar, J. B. Effect of light, temperature, and water potential on growth and sporulation of Microdochium oryzae. 995–1000
Marais, G. J., M. J. Wingfield, C. D. Viljoen and B. D. Wingfield A new ophiostomatoid genus from Protea infructescences. 136–141
Marasas, W. F. O., J. P. Rheeder, A. Logrieco, P. S. Van Wyk Fusarium nelsonii and F. musarum: two new species in Section Arthrosporiella related to F. camptoceras. 505–513
Marshall, J. S. see Weerakoon, N. D. et al.

Marvanová, L. and F. Bärlocher Hyphomycetes from Canadian streams. III. Arcispora bisagittaria anam. gen. and sp. nov. 531–536
Masuka, A. J. see Decock, C. et al.
Mathov, I. see Plotkin, L. I. et al.
mating system
Daedaliopsis 82–84
May, T. W. and A. E. Wood Fungi of Australia 2A: Catalogue and Bibliography of Australian Macrofungi 1. Basidiomycota [Review of] 738
Melzer, M. S. and M. J. Bidochka Diversity of double-stranded RNA viruses within populations of entomopathogenic fungi and potential implications for fungal growth and virulence. 586–594
metalloprotease
Pleurotus 674–679
methylmercury
Phaeosphaeria 777–784
Meyer, R. J. see Pimentel, G. et al.
Meyer, W. see Gams, W. et al.
Michailides, T. J. see Feibelman, T. P. et al.
Miller, M. E. see Farr, D. F. et al.
Mills, D., H. Kunoh, N. T. Keen and S. Mayama Molecular Aspects of Pathogenicity and Resistance: Requirement for Signal Transduction [Review of] 931–932
mimicry
Puccinia 846–853
molecular phylogeny
Puccinia 846–853
molecular systematics
Oidiodendron 854–869
Money, N. P. More g's than the Space Shuttle: ballistospore discharge. 547–558
Montoya, L. see Bandala, V. M. et al.
Moore, D. see Stephenson, S. L. et al.
Moore-Landecker, E. Fundamentals of Fungi [Review of] 155–156
Moquet, F., M. Ramos Guedes-Lafargue, M. Mamoun and J.-M. Olivier Selfreproduction induced variability in agronomic traits for a wild Agraricus bisporus. 806–812
Morris, P. F. see Xu, C. et al.
Morrison, D. J. see White, E. E. et al.
Mubatanhema, W. see Nirenberg, H. I. et al.
Mueller, G. M. [Review of] Fungi of China. 1091–1092
Muller, W. H., J. A. Stalpers, A. C. van Aelst, T. P. van der Krift and T. Boekhout Field emission gun-scanning electron microscopy of septal pore caps of selected species in the Rhizoctonia s.l. complex. 170–179
Mullins, J. T. see Du, X. et al.
multilocus electrophoresis
Tuber 389–395
Nakasone, K. K. see Pegler, D. N. et al.
Nakasone, K. K., H. H. Burdsall Jr. and D. J. Lodge Phanerochaete flava in Puerto Rico. 132–135
Nelson, R. T., D. TeStrake and B. J. Cochrane The distribution of Basidiobolus and Conidiobolus in soil and litter at sites near Tampa, Florida. 761–766
Neotropics
protostelids 357–359
Newell, S. Y. and V. D. Wall Response of saltmarsh fungi to the presence of mercury and polychlorinated biphenyls at a Superfund site. 777–784
Newton, A. C., A. E. Osbourn and C. E. Caten Heterokaryosis and vegetative incompatibility in Stagonospora nodorum. 215–225
Nguyen, D. T. see Summerell, B. A. et al.
Nirenberg, H. I. and K. O'Donnell New Fusarium species and combinations within the Gibberella fujikuroi species complex. 434–458
Nirenberg, H. I. see O'Donnell, K. et al.
Nirenberg, H. I., K. O'Donnell, J. Kroschel, A. P. Andrianaivo, J. M. Frank and W. Mubatanhema Two new species of Fusarium: Fusarium brevicatenulatum from the noxious weed Striga asiatica in Madagascar and Fusarium pseudoanthophilum from Zea mays in Zimbabwe. 459–464
nitrogen nutrition
Schizophyllum 883–889
nomenclature 347–356
O'Donnell, K. see Nirenberg, H. I. et al.
O'Donnell, K., E. Cigelnik and G. L. Benny Phylogenetic relationships among the Harpellales and Kickxellales. 624–639
O'Donnell, K., E. Cigelnik and H. I. Nirenberg Molecular systematics and phylogeography of the Gibberella fujikuroi species complex. 465–493
Ochiel, G. R. S. see Suh, S.-O. et al.
Olivier, J.-M. see Moquet, F. et al.
Osbourn, A. E. see Newton, A. C. et al.
Ospina-Giraldo, M. D., D. J. Royse, M. R. Thon, X. Chen and C. P. Romaine Phylogenetic relationships of Trichoderma harzianum causing mushroom green mold in Europe and North America to other species of Trichoderma from world-wide sources. 76–81
Ota, Y., K. Fukuda and K. Suzuki The nonheterothallic life cycle of Japanese Armillaria mellea. 396–405
Oudemans, P. V., H. M. Alexander, J. Antonovics, S. Altizer, P. H. Thrall and L. Rose The distribution of mating-type bias in natural populations of the anther-smut Ustilago violacea on Silene alba in Virginia. 372–381
Palenzona, M. see Urbanelli, S. et al.
Parmasto, E. see Hallenberg, N. et al.
Patel, R. see Reddy, P. V. et al.
PCR-fingerprinting
Glomus 791–797
Pegler, D. N., D. J. Lodge and K. K. Nakasone The pantropical genus Macrocybe gen. nov. 494–504
perithecium production
Gibberella 890–895
Persiani, A. M., O. Maggi, M. A. Casado and F. D. Pineda Diversity and variability in soil fungi from a disturbed tropical rain forest. 206–214
Peters, S., S. Draeger, H.-J. Aust and B. Schulz Interactions in dual cultures of endophytic fungi with host and nonhost plant calli. 360–367
Petersen, R. H. see Hughes, K. W. et al.
Peterson, E. B. and J. Rikkinen Stenocybe fragmenta, a new species of Mycocaliciaceae with fragmenting spores. 1087–1090
Peterson, G. L. see Luster, D. G. et al.
Pfister, D. H. see Plotnikova, J. M. et al.
phialide development
Septoria 189–198
phosphorylated reserve polysaccharides
Achlya 990–994
Phylogeny 347–356
Balansia 108–117
Ceratocystis 96–101
Chaetothyriales 822–830
Corticiaceae 640–654
Cronartium and Peridermium 244–257
Epichloe 226–234
Gibberella 465–493
Harpellales and Kickxellales 624–639
Phytophthora 85–95
Plasmodiophora 102–107
Sarcoscypha 235–243
Trichoderma 76–81
Piche, Y., B. Bago and C. Azcon-Aguilar Architecture and developmental dynamics of the external mycelium of the arbuscular mycorrhizal fungus Glomus intraradices grown under monoxenic conditions. 52–62
Pimentel, G., L. M. Carris, L. Levy and R. J. Meyer Genetic variability among isolates of Tilletia barclayana, T. indica and allied species. 1031
Pineda, F. D. see Persiani, A. M. et al.
Plenchette, C. see Declerck, S. et al.
Plotkin, L. I., I. Mathov, L. Squiquera and J. Leoni Arachidonic acid released from epithelial cells by Malassezia furfur phospholipase A2: a potential pathophysiologic mechanism. 163–169
Plotnikova, J. M., T. L. Reuber, F. M. Ausubel and D. H. Pfister Powdery mildew pathogenesis of Arabidopsis thaliana. 1009–1016
Polishook, J. D. [Review of] Biodiversity of Tropical Microfungi. 933–935
portraits
Corner, E. J. H. 732
Ginns, J. 2
Shaw, Charles Gardner 927
presidential address
Ginns, J. 1–35
proteases
Schizophyllum 883–889
pycndiospores
development in Phyllosticta 258–268
Ramos Guedes-Lafargue, M. see Moquet, F. et al.
Ramos, E. R. see Hummel, K. M. et al.
Ranghoo, V. M. and K. D. Hyde

Ascomycetes from freshwater habitats: Ascolacicola aquatica gen. et sp. nov. and a new species of Ascotaiwania from wood submerged in a reservoir in Hong Kong. 1055–1062
Reddy, P. V. see White Jr., J. F. et al.
Reddy, P. V., M. S. Bergen, R. Patel and J. F. White Jr. An examination of molecular phylogeny and morphology of the grass endophyte Balansia claviceps and similar species. 108–117
Rehner, S. A. see Jacobs, K. A. et al.
relative abundances
endophytic fungi 569–578
resting spores
Entomophaga 754–760
Reuber, T. L. see Plotnikova, J. M. et al.
Rexer, K.-H. see Varma, A. et al.
Rheeder, J. P. see Marasas, W. F. O. et al.
Rikkinen, J. see Peterson, E. B. et al.
Rillig, M. C., M. F. Allen, J. N. Klironomos and C. B. Field Arbuscular mycorrhizal percent root infection and infection intensity of Bromus hordeaceus grown in elevated atmospheric CO_2. 199–205
Robert, V. see Decock, C. et al.
Roberts, J. K. see Weerakoon, N. D. et al.
Rogers, J. D. and L. M. Carris Charles Cardner Shaw, 1917–1998. 927–929
Romaine, C. P. see Ospina-Giraldo, M. D. et al.
—— see Weir, T. L. et al.
Rose, L. see Oudemans, P. V. et al.
Rossi, W. and A. Weir Triainomyces, a new genus of Laboulbeniales on the pill-millipede Procyliosoma tuberculatum from New Zealand. 282–289
Rossi, W. New or interesting Laboulbeniales parasitic on Diptera from Bolivia. 1047–1054
Rossman, A. Y., R. E. Tulloss, T. E. O'Dell and R. G. Thorn Protocols For An All Taxa Biodiversity Inventory of Fungi in a Costa Rican Conservation Area [Review of] 1093–1094
Roy, B. A., D. R. Vogler, T. D. Bruns and T. M. Szaro Cryptic species in the Puccinia monoica complex. 846–853
Royse, D. J. see Ospina-Giraldo, M. D. et al.
Rupe, J. C. [Review of] Turfgrass Diseases: Diagnosis and Management. 1094–1095
Sallicandro, P. see Urbanelli, S. et al.
Samuels, G. J. and N. L. Hywel-Jones Three species of Hypocrella with large stromata pathogenic on scale insects. 36–46
Sarbhoy, A. see Varma, A. et al.
Schaad, N. W. see Luster, D. G. et al.
Schisler, D. A. see Elson, M. K. et al.
Schulthess, F. M. and S. H. Faeth Distribution, abundances and associations of the endophytic fungal community of Arizona fescue (Festuca arizonica). 569–578
Schulz, B. see Peters, S. et al.
Schumann, G. L. and J. D. MacDonald Turfgrass Diseases: Diagnosis and Management [Review of] 1094–1095
Sclerotia
Gibberella 890–895
Séjalon-Delmas, N., A. Magnier, D. D. Douds Jr. and G. Bécard Cytoplasmic autofluorescence of an arbuscular mycorrhizal fungus Gigaspora giagntea and nondestructive fungal observations in planta. 921–926
Seppelt, R. D. see Stephenson, S. L. et al.
septal organization
Rhizoctonia 170–179
Shaw, B. D., K. C. Kuo and H. C. Hoch Germination and appressorium development of Phyllosticta ampelicida pycnidiospores. 258–268
Shearer, C. A. see Fallah, P. M. et al.
Shin, H.-H. see Choi, H.-S. et al.
Shinners, T. C. and J. P. Tewari Morphological and RAPD analyses of Cyathus olla from crop residue. 980–989
Shoulkamy, M. A. and C. J. Lucarotti Pathology of Coelomomyces stegomyiae in larval Aedes aegypti. 559–564
Sigler, L. see Abbott, S. P. et al.
skin inflammation
Malassezia 163–169
Sotão, H. M. P. see Hennen, J. F. et al.
Spatafora, J. W. [Review of] A Revision of the Genus Hypoxylon. 930–931
——see Suh, S.-O. et al.
species diversity
endophytic fungi 569–578
spore wall
Tilletia 180–188
sporulation
Drechslera 63–68
Helminthosporium 406–413
Microdochium 995–1000
Squiquera, L. see Plotkin, L. I. et al.
Stalpers, J. A. see Muller, W. H. et al.
Stephenson, S. L. and D. Moore Protostelids from tropical forests of Costa Rica. 357–359
Stephenson, S. L., G. A. Laursen, J. C. Landolt and R. D. Seppelt Dictyostelium mucoroides from subantarctic Macquarie Island. 368–371
Stockey, R. A. see Currah, R. S. et al.
strain instability
Agaricus 785–790
straminipilous fungi
Halophytophthora 1001–1008
Strullu, D. G. see Declerck, S. et al.
succession
soil fungi 206–214
Suh, S.-O., J. W. Spatafora, G. R. S. Ochiel, H. C. Evans and M. Blackwell Molecular phylogenetic study of a termite pathogen Cordycepioideus bisporus. 611–617
sulfur metabolism
Magnaporthe 954–963
Summerell, B. A., L. W. Burgess, S. Bullock, D. Backhouse and D. T. Nguyen Occurrence of perithecia of Gibberella fujikuroi mating population A (Fusarium moniliforme) on maize stubble in northern Vietnam. 890–895
Suzuki, K. see Ota, Y. et al.
Szaro, T. M. see Roy, B. A. et al.
Tansey, M. R. [Review of] Fundamentals of Fungi. 155–156
[Review of] Introductory Mycology. 155–156
Tapia, F. see Guzman, G. et al.
Tatman, K. M. see Hajek, A. E. et al.
Taylor, J. W. see Geiser, D. M. et al.
Teng, S. C. and R. P. Korf Fungi of China [Review of] 1091–1092
TeStrake, D. see Nelson, R. T. et al.
Tewari, J. P. see Shinners, T. C. et al.
Thon, M. R. see Ospina-Giraldo, M. D. et al.
Thrall, P. H. see Oudemans, P. V. et al.
Tokumasu, S. see Degawa, Y. et al.
Toyohara, T. L. see Hughes, K. W. et al.
Trappe, J. M. [Review of] Protocols For An All Taxa Biodiversity Inventory of Fungi in a Costa Rican Conservation Area. 1093–1094
Traquair, J. A. see Buck, J. W. et al.
tropical soils
diversity of soil fungi 206–214
Trudell, S. [Review of] Nordic Macromycetes, vol. 3. 741–742
Tsui, K. M., K. D. Hyde, I. J. Hodgkiss and T. K. Goh A new freshwater species of Saccardoella from Hong Kong and South Africa. 701–704
Umali, T. E. see Goh, T.-K. et al.
Urbanelli, S., P. Sallicandro, E. De Vito, E. Biocca and L. Bullini Biochemical systematics of some species in the genus Tuber. 537–546
Urbanelli, S., P. Sallicandro, E. De Vito, L. Bullini, M. Palenzona and A. M. Ferrara Identification of Tuber mycorrhizae using multilocus electrophoresis. 389–395
Vadell, E. M. and J. C. Cavender Polysphondylium from forest soils of Tikal, Guatemala. 715–725
van Aelst, A. C. see Muller, W. H. et al.
van der Krift, T. P. see Muller, W. H. et al.
Van Wyk, P. S. see Marasas, W. F. O. et al.
Vandenkoornhuyse, P. and C. Leyval SSU rDNA sequencing and PCR-fingerprinting reveal genetic variation within Glomus mosseae. 791–797
Vanky, K., R. Bauer and D. Begerow Doassinga, a new genus of Doassansiales. 964–970
Varma, A., S. Verma, K.-H. Rexer, A. Hassel, G. Kost, A. Sarbhoy, P. Bisen, B. Bütehorn, and P. Franken Piriformospora indica, gen. et sp. nov., a new root-colonizing fungus. 896–903
vegetative compatibility

Stagonospora 215–225, 954–963
Aspergillus 767–776
Verkley, G. J. M. Ultrastructure of conidiogenesis and condia in two species of Septoria sensu lato. 189–198
Verma, S. see Varma, A. et al.
Vilgalys, R. see Johnson, J. et al.
Viljoen, C. D. see Marais, G. J. et al.
Villarreal, M. see Esteve Raventos, F. et al.
Vogler, D. R. and T. D. Bruns Phylogenetic relationships among the pine stem rust fungi (Cronartium and Peridermium spp.). 244–257
Vogler, D. R. see Roy, B. A. et al.
Volkmann-Kohlmeyer, B. see Kohlmeyer, J. et al.
Vrijmoed, L. L. P. see Leano, E. M. et al.
Wall, V. D. see Newell, S. Y. et al.
Wang, C. J. K. see Chamuris, G. P. et al.
Wanner, P. H. see Hajek, A. E. et al.
Watling, R. and J. Ginns E. J. H. Corner, 1906–1996. 732–737
Weerakoon, N. D., J. K. Roberts, L. P. Lehnen Jr., J. M. Wilkinson, J. S Marshall, and A. R. Hardham Isolation and characterization of the single B-tubulin gene in Phytophthora cinnamomi. 85–95
Wei, C. Z., Y. Harada and K. Katumoto Mycodidymella aesculi gen. et sp. nov. and its synanamorphs Blastostroma aesculi gen. et sp. nov. and Mycopappus aesculi sp. nov. on Aesculus turbinata in Japan. 334–345
Weir, A. see Rossi, W. et al.
Weir, T. L., D. R. Huff, B. J. Christ and C. P. Romaine RAPD-PCR analysis of genetic variation among isolates of Alternaria solani and Alternaria alternata from potato and tomato. 813–821
Whallon, J. H. see Littlefield, L. J. et al.
Wheeler, M. M. see Hajek, A. E. et al.
Wheller, T. [Review of] Phytophthora Diseases Worldwide. 1092–1093
White Jr., J. F. and P. V. Reddy Examination of structure and molecular phylogenetic relationships of some graminicolous symbionts in genera Epichloe and Parepichloe. 226–234
—— see Reddy, P. V. et al.
White, E. E., C. P. Dubetz, M. G. Cruickshank and D. J. DNA diagnostic for Armillaria species in British Columbia: within and between species variation in the IGs-1 and IGS-2 regions. 125–131
Wilkinson, J. M. see Weerakoon, N. D. et al.
Wingfield, B. D. see Marais, G. J. et al.
——see Witthuhn, R. C. et al.
Wingfield, M. J. see Marais, G. J. et al.
——see Witthuhn, R. C. et al.
Winka, K., O. E. Eriksson and A. Bang Molecular evidence for recognizing the Chaetothyriales. 822–830
Winkler Hennen, M. M. see Hennen, J. F. et al.
Witthuhn, R. C., B. D. Wingfield, M. J. Wingfield, M. Wolfaardt and T. C. Harrington Monophyly of the conifer species in the Ceratocystis coerulescens complex based on the DNA sequence data. 96–101
Wolfaardt, M. see Witthuhn, R. C. et al.
Wozniak, C. A. see Hodge, K. T. et al.
Wright, J. E. see Alberto, E. et al.
Xu, C. and P. F. Morris External calcium controls the developmental strategy of Phytophthora sojae cysts. 269–275
Youssef, N. N. and J. Knoblett Culture filtrate of Bacillus atrophaeus induced abnormalities in Ascosphaera apis. 937–946
Zervakis, G. I. Mating competence and biological species within the subgenus Coremiopleurotus. 1063–1074
Zimbabwe 330–333
zoospore development
Phytophthora 269–275

FUNGUS TAXA INDEX

The names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter following the page number on which the figure(s) occur.

Acanthamoeba castellanii 103
Acanthobasidium 5
Acanthophysellum 5
Acanthophysium 4–5, 640, 644–646, 652–653
apricans 4, 652
cerrusatum 642–650, 652–653
delicatum 652
lividocoerulium 642–650, 652–653
spp. 640
weirii 4, 642, 643, 645–653, 651f
Acanthostereum 652
Acarosporetum placodformi-reagentis 151
Acaulium 297, 301
flavum 301
nigrum 301
Acaulospora
laevis 793, 795
spinosa 926
Achlya 1001, 990–993
ambisexualis 990
bisexualis 103, 105–106, 990–992
heterosexualis 990
klebsiana 87–88, 90–91
Aciculosporium take 613, 614
Acremonium 226, 570
camptosporum 210
chrysogenum 90
kiliense 210
strictum 210
Aecidium 1080
begoniae 518, **525**, 525f
Aegerita 29
candida 8
Agaricus 971–973, 977
arvensis 974, 975
atrocoeruleus 143
bisporus 806–808, 810–811, 883, 901, 974, 976
campestris 548, 549f, 974, 976
crassus 497
gemmellarii 1072
hyalodepas 693, 693f, 694
mastrucatus 143
niger 142–143
pachymeres 498
pocillator 974, 976f
praegrandis 499
silvanus 143
stylophorus 689
subbarbatus 142, 145, 149
Agyrium 697, 698
Akanthomyces 743
Alboleptonia 680–684, 686, 689f, 690–691, 694
adnatifolia 695
aripoana 680, 686, 690f, 690–692, 695
cyathiformis 680, 686, 689–693, 691f, 695
earlei 694
flavifolia 683f, **684**, 686, 687f, 689, 695
hyalodepas 680, 693, 694
largentii 682, 683f, 682–684, 686, 685f, 694
minutoalba 682
ochracea 686, 695
rubellotincta 686
sericella var. lutescens 695
stylophora 689, 690f, 691, 692, 694
subrosea 681, 681–683, 682–683f, 694
sulcata 683f, 686, **686**, 688f, 689, 695
talispora 682, 684
Aleurobotrys 5
botryosus 5
Aleurocorticium 5,13
Aleurocystidiellum 5, 640, 644, 652, 653
aurantius 652
disciforme 642, 643, 645–653, 651f
spp. 640, 645, 646
subcruentatum 5, 642, 643, 645–653, 651f
Aleurodiscus 3–5, 640, 646, 652, 653
amorphus 5
apricans 4
aurantius 642–652, 651f
botryosus 5
disciformis 5
wakefieldiae 642–653, 651f
Allescheriella 900–902
crocea 901
Allotelium mirabile 1080
Alternaria
f. Sp. 814, 819
alternata 412
brassicae 951, 980
brassicicola 824–827
solani 813–821, 951
Amanita 354, 972–973
citrina 975, 976
rubescens 711
vaginata 555
Amaurodon 5,18–19
mustialaensis 5
viridis 5
wakefieldiae 5

Amethicium 5
chrysocreas 5
leoninum 5
rimosum 5
Amphinema 5
arachispora 6
byssoides 6
tomentellum 6
Amphoromorpha spp. 761
Amyloathelia 6
amylacea 6
Amylobasidium 6
tsugae 6
Amylocorticium 6
Amylosporomyces 6
echinosporum 6
subasperisporus 6
Amylostereum 6, 24, 640, 644–646, 652, 653
areolatum 6
chailletii 6, 642, 643, 645–650
laevigatum 6
Angiopomopsis 294–295
Anguillospora 307
Antrodia carbonica 901
Antromycopsis 1063, 1070–1071
broussonetiae var. minor 1072
guzmanii 1071
macrocarpa 1070–1071
Aphanomyces 269, 272
Aphysiostroma stercorarium 613–616
Aquathanatephorus 170
pendulus 170–173, 173f, 175–176, 178
Arcispora 531, 536
bisagittaria 531, 532–535f, 535–536
Armillaria 125–129, 396, 798, 799, 805
borealis 799
bulbosa 785–789
calvescens 126, 799
cepistipes 126, 396, 798–805
gallica 125–130, 396–398, 398f, 401–402, 403f, 404, 799
gemina 799
jezoensis 396
mellea 396–398, 397f, 399–401f, 401–404, 403f
mellea subsp. nipponica 396–397
nabsnona 125–128, 130, 396, 799
ostoyae 125–130, 396, 799
sinapina 125–130, 396, 798–805
singula 396
Arthrobotrys 307
Aschersonia 36, 46
aleyrodis 46
Ascochyta 196, 342
fagi 342
pisi 196–197
Ascocodinaea 1056, 1059
Ascolacicola 1055, 1056, 1059
aquatica 1055, **1056**, 1057f, 1059
Ascopolyporus 232
Ascorhizoctonia 170
Ascosphaera 937–938
aggregata 938, 944
apis 937–939, 940f, 943f, 945f
Ascotaiwania 1055–1056, 1059–1060, 10062
hsilio 1060, 1062
lignicola 1056, 1060, 1062
mitriformis 1055, **1059**, 1060, 1060–1061f, 1062
palmicola 1060, 1062
sawada 1055, 1060, 1062
wulai 1060, 1062
Aspergillus 209, 767–776, 831–835, 840–843, 947
anthodesmis 209, 210
brevipes 834, 837–838, 840–842
flavus 832, 833, 843
flavus var. parvisclerotigenus 773
fumigatus var. ellipticus 834, 837–842
ivoriensis 209, 210
neoellipticus 834
nidulans 89–90, 222–223, 470
niger 412, 961
ochraceoroseus 209, 210
oryzae 618–622
sclerotiorum 946
sojae 618–622
tamarii 618–622, 767, 769–774
unilateralis 834–835, 837–838, 840–842
viride-nutans 834, 837–842
Aspergillus sect.
flavus 767
fumigati 831, 833, 836
Asterodon 2,6
ferruginosus 6
Asteromella 342
Asterostroma 3, 6
Asterostromella 7
dura 14
Athelia 5–7, 9
arachnoidea 7
bombacina 103, 105–106, 901
epiphylla 7
rolfsii 7
typhae 14
Athelieae 536
Atheloderma 7,17
Athelopsis 7
glaucina 7
lembospora 7
subinconspicua 7
Atkinsonella 116, 232
hypoxylon 114–115, 230f, 363, 613–615
texensis 363
Atricordyceps harposporifera 613, 615, 616
Atrocaeruleus 142
Aureobasidium
pullulans 824–827, 947–951
Auricularia 177
auricula-judae 1071, 551
polyrtricha 901
Auriculariopsis 7
albomellea 7
ampla 7
Auriscalpium 7
vulgare 7
Azygozygum chlamydosporum 1040
Balansia 108, 110, 114, 116, 229, 231–232
andropogonis 108–110, 112–113f, 113–115, 230f
asclerotiaca 108–110, 111f, 113–116
asperata 108–110, 111f, 113f, 113–116
claviceps 108–110, 111f, 113f, 113–116
cynodontis 227, 229–230, 231
cyperi 114–116, 230
discoidea 109, 114–115, 230
gigas 114
obtecta 114–116
sclerotica 613–615
spp. 111–113
trinitensis 109–110, 116
Balansiopsis 116
graduae 116
Balsamia 352
Barssia 352
Basidiobolus 761–766
magnus 1045
microsporus 762
sp. 761
spp. 761–765
Basidiodendron cinereum 176
Basidioradulum 7
radula 7
Basifimbria
subalutacea 548
succinea 548
Basipetospora 301
Beauveria 743, 752
brongniartii 866
Beniowskia
sphaeroidea 210
Bipolaris
australiensis 411
cynodontis 411
hawaiiensis 411
Blastocladiella emersonii 103, 105–106
Blastomyces dermatitidis 613, 614
Blastostroma 337, 344
aesculi 334, 337, **338**, 339–340f, 341, 344–345
Boidinia 7
furfuracea 7
peroxydata 7–8
propinqua 8
Boletinus 733
Boletus
lacrimans 27
molluscus 30
rubinellus 551, 552, 552–553f
satanas 824–827
Bondarzewia mesenterica 901
Boreostereum 8
radiatum 8
Botanamphora 1056, 1059
Botryobasidium 8, 900–902
croceum 901
subcoronatum 901
vagum 176
Botryodiplodia theobromae 295
Botryohypochnus 8
bondarcevii 8
isabellinus 8
verrucisporus 8
Botryosphaeria 608, 825
dothidea 601–610
obtusa 601, 603–609
rhodina 601, 603, 605–607, 609, 824–828
ribis 601–609
spp. 601–610
stevensii 601, 603–606, 608
Botrytis
allii 944
cinerea 90, 266
Bovetia
diospyri 209, 210
Brachysporiella 668, 669, 671
Brevicellicium 8
olivascens 8
permodicum 8
Bulbillomyces 8
farinosa 8
Burrillia 964
Butlerelfia 8
eustacei 8
Byssoascus 861, 866, 867
striatisporus 854, 855, 857, 862, 864, 866, 867
Byssocorticium 9
atrovirens 9
californicum 9
neomexicanum 9
pulchrum 9
terrestre 9
Byssomerulius 9, 21
Byssoporia 9
Byssus caerulea 25
Caerulicium 9
neomexicanum 9
Caldesiella sajanensis 18
Calocera cornea 548, 549f
Calocybe 494, 496, 503
gambosa 494–495, 501–504
Calonectria 276, 279
Camillea 45
Candelabrochaete 9
africana 9
langloisii 9
magnahypha 9
septocystidia 9

Candida
albicans 90, 167, 613, 614, 787, 842
utilis 955
Capniomyces 629–630, 629f, 633, 634, 638, 639
stellatus 626, 631, 639
Capnodendron 827
Capronia 822
mansonii 824–827
pilosella 824–827
Catenaria angullulae 1001
Cavostelium
apophysatum 358
tahitiensis 358
Cazia 352
Ceraceomerulius 9,21
Ceraceomyces 9
subapiculatus 9
tessulatus 9
Ceramothyrium 822, 823, 828
linnaeae 822–828
Ceratobasidium 9, 170, 177–178
calosporum 9
cornigerum 170–172, 174–176, 174f, 178
Ceratocystiopsis 136, 139–140
falcata 140
minuta 139
proteae 136–140
ranaculosus 69–73
spp. 140
Ceratocystis 96–97, 99–100, 136, 138–139
coerulescens 96–99
douglasii 96–100
eucalypti 96–100
fimbriata 96–99, 137–139, 613, 614
laricicola 96–100
minuta 137–139
polonica 96–100
rufipenni 96–100
virescens 96–100
Ceratopycnis 294–295
Ceratorhiza 9, 170
Cercophora
septentrionalis 613, 614
Cercospora 944
alni 334
Cercosporella 345, 730
aceris 334
ontariensis 743
Cercosporidium 944
Cercostigmina 731
Cerocorticium 9,25
bogoriense 9
molle 9–10
Cerrena unicolor 82
Chaetasbolisia erysiphoides 295
Chaetoderma 10
Chaetodermella 10
luna 10
Chaetomium 660, 664, 665
elatum 824–827
globosum 613, 614, 660, 664
Chaetoporellus 17
Chaetosartorya chrysella 833
Chaetosphaeronema 295
Chaetothyrium 822, 828
javanicum 822
Chalara 97, 136, 140
australis 96–100
neocaledoniae 96–100
Chlorophyllum 972, 974
cystidiosa 974
cystophora 974
molybdites 974, 976
Choiromyces 352
Chondrostereum 10
purpureum 10
Chrysocelis geophilicola 1083
Chrysomyxa 244, 248
arctostaphyli 247, 249–251
Chrysorhiza 170
Chytridium 624, 625, 627–630, 630f
confervae 625–627
Ciboria 422
Cladoderris 3,10,12
Cladosporium 908
cladosporioides 951
herbarum 210, 947–951
sp. 951
spp. 951
Claudopus 680
Clavaria 516, 1092
Claviceps 232, 615, 743
fusiformis 613, 615
paspali 613–615
purpurea 613–615
Clavicorona 10
Clavulicium 900
Climacodon 10, 14
pulcherrimus 10
septentrionalis 10
Clitocybe clavipes 494–495, 501–503
Clitopilus 680
Coccidioides immitis 842
Coccodinium 823, 825, 827
bartschii 822–828
Cochliobolus heterostrophus 222–223
Codinaea 1059
Coelomomyces 559, 560
dodgei 560
stegomyiae 559–564, 561–562f
Coemansia 624, 629–630, 632, 634
braziliensis 626, 629–631, 629f, 633, 638, 639
mojavensis 629
reversa 626, 629–631, 629f, 633, 639
spp. 638, 639
Coleosporium
begoniae 526
ribicola 524
spp. 526
Colletotrichum 266
aeschynomen f. sp. 222
capsici 265
dematium 223
gloeoporioides 90
gloeosporoides 223
graminicola 223, 266, 819
lagenarium 265–266
lindemuthianum 265–266
trifolii 263, 266
truncatum 265–266, 406, 410–412
Columnocystis 10, 31
Conferticium 10
ochraceum 10
ravum 10
Confertobasidium 10, 27
Conidiobolus 761–764
spp. 762, 764
Coniophora 3, 10
flava 132–134
membranacea 10
puteana 10
Coniothyrium 295
minitans 951
olivaceum 947–951
palmarum 360–365
Conohypha 11
albocremeum 11
terricola 11
Coprinus 971–973, 975, 977
atramentarius 556, 975, 976
bisporus 404
cinereus 548, 551, 552, 552f, 788, 883
comatus 971, 975–977
congregatus 404
flocculosus 974–976
patouillardii 404
sect. comati 971
sterquilinus 975–976
Copromyxa protea 139
Cordycepioideus 611, 616
bisporus 611–617
octosporus 611
Cordyceps 616, 743, 749–750
ainictos 748
asyuensis 745, 748
australis 749
baumanniana 749
capitata 613–616
clavata 749
corallomyces 748
ferruginosa 745, 748
gracilis 752
inconspicua 749
interrupta 749
ithacensis 745, 748
michiganensis 749
militaris 613, 615, 616, 749
minutissima 749
nigripoda 749
ophioglossoides 613–616
pentatomae 749
purpureostromata 749
ramosopulvinata 749
subsessilis 752
unilateralis 749
variabilis 743–753, 745f
viperina 745, 747–749
Coremiopleurotus 1066–1067, 1070–1072
Coronicium 11
alboglaucum 11
proximum 11
Corticium 3, 11,13–14,19, 640, 644, 646, 652, 653
albocremeum 11
alboochraceum 26
amylaceum 6
apalum 6
bicolor 23
byssinum 23
centrifugum 9
contiguum 18
decolorans 23
dryinum 11
echinosporum 30
electum 6
exile 8
galzinii 19
gemmiferum 11
glaucinum 7
greschikii 15
griseocanum 13
hiemale 15
laeve 12
leucoxanthum 21
molle 9
pearsonii 22
polygonioides 13
porosum 15
portentosum 27
reconditum 21
rimicolum 32
roseum 11, 642–650, 652
rude 15
subcoronatum 8
subgiganteum 20
subsulphureum 6
sulfureo-isabellinum 15
tessulatum 9
trigonospermum 31
tuberculosum 25
udicolum 21
Costantinella 8
Cotylidia 11, 28
Craterellus 3
taxophilus 10
Creolophus 11
cirrhatus 11
Cristinia 11
gallica 11
helvetica 11
sonorae 11
Cronartium 1028, 244, 249–255
appalachianum 246, 250–252, 255
arizonicum 246, 249, 250–255
coleosporioides 244, 246, 249, 250–255
comandrae 244, 246, 250–253, 255
comptoniae 246, 250- 252, 255

conigenum 246, 250–251, 254
flaccidum 246, 250–251, 253, 255, 1028–1029, 1029f
fusiforme 254
occidentale 246, 249, 250–252, 255
quercuum f. sp. banksianae 244, 246, 250–251, 253–254
quercuum f. sp. echinatae 246, 250–251
quercuum f. sp. fusiforme 246, 250–252
quercuum f. sp. virginianae 246, 250–252
ribicola 246–247, 249, 250–253, 255, 901, 1028–1029
sp. 1028–1029
spp. 524
strobilinum 247, 250–251, 254
Crustoderma 6,11
Crustomyces 12
expallens 12
pini-canadensis subsp. subabruptus 12
stratosus 12
Cryphonectria
parasitica 586, 593, 613, 614
Cryptococcus 947
albidus 948
Cryptodiaporthe hystrix 360, 363
Cryptodidymosphaeria 671, 672
Cryptomela 295
Cryptosporidium parvum 90
Cryptosporiopsis 197
sp. 196
Cucurbidothis pityophila 824–827
Cucurbitaria berberidis 824–827
Culicinomyces 750, 752
bisporalis 752
clavisporus 752
parasiticus 752
Curvicladium 276, 279–280
cigneum 277, 278–280f, 280
Curvularia lunata 571, 573
Cyanobasidium 12, 20
Cyathus
annulatus 983
brodiensis f. 980, 984f, **986**, 988
bulleri 983
helenae 983
olla 980–984, 984f, 986–988
olla f. anglicus 980, 983–984, 984f, 986
olla f. lanatus 980, 983–984 spp. 980–983, 988
olla f. olla 980, 983–984, 984f, 986, 988
stercoreus 983
striatus 982–984, 986f
Cylindrobasidium 12
corrugum 12
laeve 12
torrendii 12
Cylindrocladiella 276, 279–280
Cylindrocladium 276–277, 279, 281
avesiculatum 277
Cymatoderma 10,12
caperatus 12
elegans 12
fuscum 12
Cyphella 3
ampla 7
Cyphellostereum 12
laeve 12
Cystoderma 971–973
chocoanum 975–976
granulosum 975–976
Cystolepiota 971–974, 977
cystidiosa 974, 976
cystophora 974, 976
Cystostereum 12
australe 12
murraii 12
Cytidia 3, 12, 640, 644–646, 653
patelliformis 12
salicina 642, 643, 645–650
Cytidiella 7
Cytospora 951
sacchari 295
sp. 295
Cytosporina 1059
Dacrymyces
chrysospermus 901
stillatus 548
Dacryobolus 13
karstenii 13
sudans 13
Dactuliophora 344
Dactylella 307
Daedalea
quercina 82
sprucei 82
Daedaliopsis
confragosa 82–84
flavida 82–83
Daldinia concentrica 613, 614
Dendrocorticium 13–14, 640, 644, 646, 652, 653
piceinum 13
polygonioides 642–650
roseocarneum 13
violaceum 13
Dendrophoma sp. 295
Dendrophora 13
albobadia 13
erumpens 13
versiformis 13
Dendrothele 13, 652
bispora 13
griseocana 13
itihummensis 13
papillosa 13
subfusispora 13
Dennisiella 823
Dentipellis 13
dissita 14
fragilis 14
leptodon 14
Dentocorticium 14
sulphurellum 14
Desmidiospora 743
Dextrinocystis 14, 30
Diaphoromyces 288
Diatrype disciformis 613–615
Dicheirinia 1079–1080
manaosensis 1085
Dichostereum 14
Dicranidion 307
Dictyostelium 724
discoideum 103, 106, 90
mucoroides var. stoloniferum 370, 724
polycephalum 721
spp. 724
Didymella 334, 342, 344–345
applanata 344
bryoniae 295
exitialis 344
lupini 726, 727, 729, 730, 730f
Didymium iridis 382, 386
Didymosphaeria 344, 667, 672
conoidea 667, 668, 670–672
petrakiana 342
Didymosphaerites 672
bethelii 672
pierantonii 672
Dinemasporium strigosum 328
Dingleya 352
Diorchidiella australis 1085
Diorchidium 1079–1081, 1085
acanthostephum 1079, 1082f, 1083, 1085
amapaensis 1079, 1081, **1083**, 1084f, 1085
australe 1085
bonplandii 1085
boutelouae 1085
brasiliensis 1080–1081
copaiferae 1079–1080, 1083, 1084f, 1085
digitariae 1085
geophilae 1083
goyazense 1085
koordersii 1080–1081
leve 1085
manaoense 1085
pallidum 1085
piptadeniae 1081
puiggarii 1079–1081, 1082f, 1085
taiwanensis 1080–1081
tricholaenae 1085
woodii 1081
Diplococcium 514
aquaticum 514, 515f
clavariarum 516
dendrocalami 514, 515–516f, 516
graminearum 515
insolitum 516
Diplodia 601, 605
mutila 601, 603–606, 608
quercina 601, 603–606, 608
spp. 601
Diplopodomyces 288
callipodos 287
Dipsacomyces 628–630, 629f, 632, 633, 638, 639
acuminosporus 626, 631, 639
Discina 352
Disciotis 352
Discochora 608
Doassansia 964
epilobii 964, 970
hygrophilae 964, 970
Doassinga 964, **965**
callitrichis 965, 965–967f, 967, 969–970
Donkia 10,14
Dothichloe 116, 229
Dothidea 608
hippophaes 824–827
insculpta 824–827
sp. 604
Dothiorella 601
Drechslera
australiense 411
biseptata 571
cynodontis 411
graminea 63–68
hawaiiensis 411
rostrata 411
sorghicola 411
sorokiniana 951
Duportella 640, 644–646, 652, 653
tristicula 642, 643, 645–650, 652
velutina 652
Dusiella 232
Dwayaangam 303, 307–308
cornuta 308, 308f
dichotoma 308, 308f
gamundiae 308, 308f
heterospora 307, 308f
junci 304, 305f, 307, 308f
quadridens 308f
yakuensis 307, 308f
Eccilia hyalodepas 693
Echinodontium 14
balloui 14
tinctorium 14
Echinodothis 615
tuberiformis 613–615
Echinosteliopsis oligospora 358
Echinostelium 385–386
coelocephalum 382, 387
minutum 385–386, 385
sp. 382
spp. 383
Ectocarpus 697–698
agyrioides 697–700, **697**, 699f
Effetia craspedoconidica 209, 210
Eidamella deflexa 867
Elaphomyces 611, 616, 743
Emericella 843
heterothallica 832
Enantioptera tetraalata 536
Encephalitazoan hellem 90
Endoconidium temulentum 422

Endocronartium 251
Endoptychum 975
Endostelium zonatum 358
Entoloma 680, 694
  aripoanum 692
  cyathiforme 693
  hyalodepas 693
  minutoalbum 680, 682
  queletii 686
  stylophorum 689
  talisporum 680, 682
Entomocorticium 14
  dendroctoni 14
  sp. 69–73
Entomophaga
  grylli 761
  maimaiga 754–760
Entomophthora 566
Entyloma 964–965, 967
  callitrichis 964–965, 967
  ficariae 964, 970
  gaillardianum 964, 969–970
  microsporum 964, 967, 968–969f, 969–970
  nymphaeae 965
  polysporum 964, 970
  sparganii 965
  spp. 965, 969
Ephelis 229
Epichloe 108, 110, 115, 226–229, 228f, 231–232, 470, 570, 575, 615, 832
  amarillans 228f, 229, 230, 231, 613, 615
  baconii 227, 229, 228f, 231
  bambusae 227, 231
  bertonii 231
  cinerea 226–227, 229, 231
  clarkii 228f, 229, 230, 231
  festucae 228f, 229, 230, 231
  killingiae 231
  montana 231
  myosura 231
  oplismeni 227, 231
  sasae 227, 231
  schumanniana 227, 229
  sclerotica 226–227, 229–231
  sporoboli 226, 229
  spp. 231
  typhina 89–90, 115, 229, 231, 470, 613–615
  volkensii 227, 231
  warburgiana 231
  zahlbruckneriana 231
Epicoccum purpurascens 947–951
Epithele 3, 14
  sulphurea 14
Epulorhiza 170
  anaticula 170–172, 176, 1776f, 178
Erysiphe 1009, 1014–1015
  arabidis 1015
  cichoracearum 1009, 1011–1012, 1014–1015
  cruciferarum 1009, 1015
  graminis 89–90
  orontii 1009–1015, 1011f, 1013–1014f
  polyphaga 1014
  rorippae 1015
Erythricium 14
  chaparralum 14
  laetum 14
  salmonicolor 15
Euplotes 667, 668, 671
  allenbyensis 667–669, **668**, 669f
Eurotium
  amstelodami 833, 835
  rubrum 824–827
Evernia prunastri 1088
Exobasidium 3
Exophiala 823
  dermatitidis 824–827
Exserohilum rostratum 411
Falcocladium 276, 279–280
Fibricium 15
  lapponicum 15
Fibrodontia 17
Fibulobasidium inconspicuum 901
Fibulomyces 15, 20
Fibulophaeocollybia 118
Fibulotaeniella canadensis 536
Fischerula 352
Flammulaster 151, 154
  granulosus 154
  wieslandri 154
Flavophlebia 15
  sulfureo-isabellina 15
Flavopunctelia soredica 1088
Fomes tinctorius 14
Fonsecaea pedrosoi 824–827
Furculomyces 628–630, 629f, 633, 638, 639
  boomerangus 626, 631, 639
Fusarium 414, 434–438, 449, 455–457, 459–461, 465, 467–468, 470, 475, 480–481, 483–484, 505, 508, 510–512, 608, 832
  acuforme 474, 476
  acutatum 435, 436, 440f, 454, 456, 466, 472, 475, 477–479, 482,
  annulatum 436, 454, 456, 466–467, 470, 472–478, 482, 488
  anthophilum 436, 439, 454, 456, 463, 466, 472, 474–479, 483, 488
  babinda 439, 467, 475, 483, 489, 493
  bactridioides 434, 436, 453, 456, 466, 472, 473, 474–479, 483, 483
  basilicu f. sp. 223
  begoniae 436, **437**, 440, 441f, 452, 455–456, 466, 472, 474–479
  beomiforme 434, 467, 472, 474–475, 477–478, 489
  brevicatenulatum 436, 448, 454, 456–457, 459, **460**, 461f, 461, 463, 466, 472, 475–479, 482, 489
  bulbicola 436, 440, **452**, 455–456, 465–466, 472, 475, 477–479, 481, 483, 489
  bulbigenum var. blasticola 482
  bulbophilum 474, 476
  camptoceras 506, 507f
  circinatum 436, 441, **442**, 445, 447, 449, 454, 456, 466, 472, 474–479, 481–483, 489
  concentricum 436–437, **442**, 444f, 444–445, 447, 455–456, 466, 472, 474–479, 482, 489
  concolor 472, 474–478, 489
  culmarum 418
  denticulatum 434, 437, 445f, **445**, 446, 455–456, 466, 472, 474–479, 475, 482–484, 489
  dimerum 418
  dlaminii 434, 437, 454, 456, 466–467, 471, 472, 474–479, 480, 482,
  fujikuroi 437, 454, 456, 466–467, 472–475, 477–479, 480–482, 489
  globosum 434, 437, 454, 456–457, 466, 472, 475, 476, 478–479, 482,
  graminearum 222
  guttiforme 437, 445, **446**, 447f, 455–456, 466, 472, 474–479, 483,
  hygarnal 474
  incarnatum 511
  inflexum 472, 474–478, 490
  lactis 434, 437–438, 449, **452**, 452f, 453–454, 456, 465–466, 472, 474–479, 482, 484, 490
  lateritium 434, 437, 439, 446, 466–467, 482–483
  merismoides 418
  moniliforme 222, 890–892, 894–895, 955, 962
  moniliforme var. lactis 438
  moniliforme var. minus 448
  moniliforme var. subglutinans 437–438, 442, 447, 449, 467, 483
  musarum 505–506, 507f, 509f, **510**, 511
  napiforme 434, 437, 454, 456, 466–467, 472, 474–479, 482, 490
  nelsonii 505–506, 507f, **508**, 509f, 511–512
  neoceras 436, 439, 466–467, 471, 473, 472–478, 480, 490
  nisikadoi 434, 454, 466–467, 472, 475, 477–478, 481, 490
  nygamai 434, 437–438, 450, 454, 456, 459, 466–467, 472, 474–479, 482, 490
  oxysporium, 406, 955, 962
  oxysporum f. sp. batatas 420
  oxysporum f. sp. lycopersici 223
  oxysporum f. sp. vasinfectum 819
  pallidoroseum 511
  phaseoli 411
  phyllophilum 437–438, **447**, 448, 454, 456, 461, 465–467, 472, 474–479, 481–482, 491
  poae 223
  proliferatum 466–467, 472–479, 480–482, 491, 890
  proliferatum var. minus 437–438, 447, 466, 482
  proliferatum var. proliferatum 448
  pseudoanthophilum 438, 454, 456–457, **461**, 462f, 463, 466, 472, 474–479, 482, 491
  pseudocircinatum 438, 442, **448**, 449f, 454, 456, 466, 472, 474–479,
  pseudonygamai 438, 449–450, **449**, 450f, 454, 456, 461, 463, 466, 472, 474–479, 482, 491
  ramigenum 438, **451**, 451f, 452–453, 455–456, 466, 472, 474–479, 482, 484, 491
  redolens 470, 472, 475, 477–478, 481, 491
  sacchari f. sp. subglutinans 439
  sacchari var. elongatum 436, 452, 466, 483
  sacchari var. sacchari 466–467, 482–483
  sambucinum 406, 480, 483
  semitectum 436, 445, 510–511
  solani f. sp. cucurbitae 819
  sp. 434, 439, 466–467, 472, 474–477, 479, 481–483, 492–493
  spp. 420, 511, 891
  subglutinans 890
  subglutinans f. sp. pini 467
  succisae 439, 454, 456, 466, 472, 474–479, 492
  thapsinum 434, 439, 454, 456, 466–467, 472, 475, 477–479, 482, 492, 890–892
  torulosum 480
  udum 434, 436, 439, 454, 456, 466–467, 472, 474–479, 481, 482–483,
  venenaturm 480
  verticillioides 439, 453–454, 456, 460–461, 463, 466–467, 470, 472–479, 482, 484, 492, 890
Fusicoccum 601, 604, 605, 608

aesculi 601–608
luteum 601, 603–607, 609
spp. 601–608
Galactomyces geotrichum 90
Galzinia 15
cymosa 15
geminispora 15
pedicellata 15
Ganoderma 641
applanatum 556
Gautieria amara 49–50
Geniculosporium sp. 360–362, 364–365
Genistelloides 629, 629f, 630, 633, 634, 638, 639
hibernus 626, 631, 639
Geomyces 862, 864
Geotrichum candidum 210
Gerwasia
sp. 522
Gibberella 467
circinata 440, 441–442, 443f
fujikuroi 89–90, 890–895, 893f
fujikuroi var. subglutinans 483
thapsina 890
zeae 222–223
Gigaspora 583, 796, 921
albida 793, 794, 796
decipiens 793–796
gigantea 921–926, 922–925f
margarita 792, 921–922, 925–926, 922f
rosea 926
spp. 794
Gliocephalotrichum bulbilium 210
Gliocladiopsis 276, 279–280
Gliocladium 570, 750, 752
Gliomastix 301
Globulicium 15
hiemale 15
Gloeocercospora 344
Gloeocystidiellum 6–7, 10, 15–16, 27
Gloeocystidium insidiosum 10
Gloeodontia 15
columbiensis 16
discolor 15
Gloeopeniophora 650, 652, 653
Gloeoporus 21
Gloeotinia 422, 426
granigena 422–423, 425–426, 424–425f
sp. 426
temulenta 422–423, 425–426, 424–425f
Gloeotulasnella 16, 31
Gloiodon 16
occidentale 16
strigosus 16
Gloiothele 16, 31
citrina 16
lactescens 16
tropicalis 16
turpis 16
Glomales 200
Glomus 791, 795, 921, 925
clarus 796
etunicatus 796
fasciculatum 579–585, 582f, 796, 926
geosporum 793
intraradices 52–62, 54f, 56f, 59f, 579–585, 581–582f, 921
macrocarpum 579–582, 584–585, 582f
mosseae 791–792, 794–797, 896, 900–901, 926
sp. 793, 795, 796
spp. 579–585, 582f
versiforme 59, 579–585, 581–582f
Gonatobotrys pallidula 17
Gondwanamyces 139–**140**
capensis 140
proteae 139
Gongronella butleri 210
Gonytrichum macrocladum 210
Grandinia 17
corrugata 17
Grandinioides 16, 22
Granulocystis 16, 19
Granulosi 154
Graphium 136
Gremmeniella abietina 819
Guignardia 608
bidwellii 258
citricarpa 604, 608
Gummiglobus sp. 49–50
Gymnostellatospora
frigida 855
japonica 855, 857, 858, 861, 862, 864, 866
Gyromitra 352
Haematostereum 16, 29
Halophytophthora 1001, 1007
spp. 1004
vesicula 1001–1007, 1005f
Hapalophragmium 1080
Haplotrichum 8, 901
Harknessia sp. 295
Heleiso barbatula 328
Helicobasidium 170
Helicoon 307, 916–917, 919
auratum 917, 919
chlamydosporum 917, 919
dendroides 916, 917, 919
ellipticum 917, 919
farinosum 917, 919
fuscosporum 919
gigantisporum 916, 917, 919
macrosporum 916, 917, 919
maioricensis 916–920, 916–**917**, 918f
microsporum 916, 917, 919
myosuroides 916, 917, 919
peruamazonense 916, 917, 919
pluriseptatum 916–917, 919
richonis 917, 919
septatissimum 916, 917, 919
sessile 916, 917, 919
Heliocephala 330, 331, 333
proliferans 330
zimbabweensis 330, 330–332f, **333**
Helminthosporium
australiense 411
cynodontis 411
gramineum 63
hawaiiensis 411
rostratum 411
solani 406–412
sorghicola 411
Helvella 352
rubiginosa 17
Hemiorbilia 303, 307
Henningsomyces 16, 28
candida 16
puber 16
Hericium 16
abietis 16
americanum 16
coralloides 16
erinaceus 16
Herpotrichia diffusa 824–827
Heteroacanthella 17
acanthophysa 17
variabile 17
Heterobasidion
annosum 597, 804, 901
Heterodoassansia 964
Heterogastridium 351
pycnidioideum 351
Heterotextus alpinus 901
Hirsutella 611, 612, 616, 743, 749, 750
thompsonii 611–616
Histoplasma capsulatum 90
Hohenbuehelia 142–143
atrocaerulea 143
crustosa 143
geogenia 143
inversa 143
mastrucata 143
microspora 146
nigra var. microspora 142, 146, 149–150
nigra var. nigra 142–145, 144f, 149
nigra var. pileocystidiata 143, 145–146f, 145–146, 149
silvana 143
singeri 142, **146**, 147–148f, 150
stratosa 143
subbarbata 142, 145–146, 146f, 149
Holubovaniella 331f, 333
elegans 331f
Humaria
erinaceus 743
Hyalorhinocladiella 136
Hydnochaete 2, 17
badia 17
olivacea 17
peroxydatum 17
tabacina 17
Hydnotrya 351
Hydnum
adustum 22
alboviride 18
auriscalpium 7
bicolor 26
calvum 21
coralloides 16
corrugatum 11
fragile 13
fuscoatrum 22
helveticum 11
ochraceum 28
peroxydatum 17
radula 7
septentrionale 10
seriatum 28
setosum 26
strigosus 16
sudans 13
Hygrophorus 1093
Hymenochaete 2–3, 17
veluticeps 31
Hymenostilbe 743
Hyphoderma 7, 17
laetum 14
setigerum 17
spiculosa 17
Hyphodermella 17
corrugata 17
Hyphodontia 17, 900
Hypochnella 18
violacea 18
Hypochniciellum 18
molle 18
ovoideum 18
subillaqueatum 18
Hypochnicium 18–19
Hypochnopsis 5, 18
Hypochnus 3, 29
asterophorus 31
cucumeris 29
fuciformis 19
furfuraceus 7
fusisporus 31
isabellinus 8
longisporus 29
mucidula 25
solani 29
violeus 31
Hypocrea 36, 904
jecorina 77, 79
muroiana 906
nigricans 906
pallida 613, 614
rufa 906
schweinitzii 77, 79, 613–616, 866
sp. 906
Hypocrella 36, 45–46
africana 36, **37**, 38–39f, 42, 45
aurantiaca 36
discoidea 36
gaertneriana 36–40, 39–40f, 42, 44–45
mollii 44

phyllogena 44
schizostachyi 36–37, 39–46, 41–43f
sp. 613, 615
verruculosa 44
Hypomyces
cervinigenus 300
chrysospermus 824–827
polyporinus 613, 614
spp. 616
Hypoxylon 363
atroroseum 613, 614
Idriella 307
lunata 210
Ilytheomyces 1049, 1052
anomalus 1047, 1048f, 1049, 1052
calycinus 1047, 1048f, 1049, 1052
lingulatus 1047, 1048f, 1049
manubriolatus 1047, 1048f, 1049
Inocephalus 680
Inonotus 2
hispidus 901
Intextomyces 18
contiguus 18
Irpex 18
discolor 15
Itersonilia 171
perplexans 547–551, 550f, 553, 555
Jaapia 18
argillacea 18
ochroleuca 18
Kavinia 18
alboviridis 18
himantia 18
Kernkampella 1080
Kickxella 628–630, 629f, 632–634, 638, 639
alabastrina 626, 631, 639
Klebsiella pneumoniae 383
Kneiffia
farinosa 8
nivea 21
Kneiffiella 17
Knoxdaviesia 136, 139–140
Labyrinthomyces 351
Lachnocladium 3
Laeticorticium 13, 19
ussuricum 14
Laetinaevia marina 306
Laetisaria 19
agavei 19
arvalis 19
fuciformis 19
Lagarobasidium 19
Lagenidium giganteum 1007
Lasiodiplodia 601, 605
theobromae 295, 601, 603–606
Latecorticium 11
Laurilia 19
sulcata 19
taxodii 19
Laxitextum 19
bicolor 19
incrustatum 19
Lazulinospora 5, 19
Lecanora
dispersa 824–827
Leifia 16, **19**
flabelliradiata 19
Lentinellus omphalodes 901
Lentinula lateritia 599
Lentinus 641, 977
Lenzites betulina 82
Lepiota 971–974
acutesquamosa 973–974, 976–977
clypeolaria 974, 976
cristata 974, 976
felina 974, 976
flammeotincta 974, 976
humei 974, 976
subincarnata 974, 976
Leptographium 136, 197
Leptonia 680
stylophora 689
Leptosphaeria 344
doliolum 824–827
doliolum var. conoidea 671
maculans 219, 223, 980
nodorum 215, 223
Leptosporomyces 15, 19
canadensis 20
fuscostratus 19–20
fusoideus 20
galzinii 19
montanum 19–20
mutabilis 20
ovoideus 18
raunkiaerii 20
septentrionalis 20
Leptostroma sp. 295
Leucangium 351
Leucoagaricus 971–974, 976–977
americanus 974, 976
flammeotincta 974
hortensis 974, 976
humei 974
naucinus 974, 976
rubrotinctus 974, 976
sp. 974, 976
Leucocoprinus 971–974, 977
birnbaumii 974, 976
brebissonii 974
cepaestipes 974, 976
fragilissimus 974, 976
longistriatus 974, 976
Leucogyrophana 20
Leucostoma
cincta 949
persooni 949
persoonii 613, 614, 824–827
spp. 951
Leveillula
taurica 1015
Licrostroma 20
subgiganteum 20
Ligniera verrucosa 878
Limacella 354, 972–973
glischra 975–976
Limacinula 823
Limnaiomyces 288
Limonomyces 20
culmigenus 20
rosepellis 20
Linderina 628–630, 629f, 632–634, 638, 639
pennispora 626, 631, 639
Lindtneria 12, 20
Linochorella striiformis 197
Litschauerella 20
clematidis 20
Longula 975
Lopharia 20–21
cinerascens 21
lirellosa 20
mirabilis 20
Lophiostoma 825
crenatum 824–827
Luellia 21
furcata 21
recondita 21
Lyomyces 17
Lyophyllum 977
Macrocybe 494–495, **496**, 498, 503–504
crassa 497, 498, 503
gigantea 497, 498, 503
lobayensis 497, **498**, 500, 503
pachymeres 497, **498**, 499, 503
praegrandis 497, **499**, 503
spectabilis 497–498, **499**, 500, 503
titans 495, 497–499, **500**, 501–504
Macrolepiota 971–974, 977
colombiana 974, 976
excoriata 974, 976
gracilenta 974, 976
procera 974, 976–977
rachodes 973–974, 976–977
Magnaporthe
grisea 1007, 263, 265–266, 954–962, 958–958f
Malassezia furfur 163–168, 165–168
Malbranchea 862, 864, 866
filamentosa 824–827
Marasmius siccus 1071
Mariannaea 743
Martensella
corticii 625, 626
spp. 624
Martensiomyces 628–630, 629f, 632, 633, 638, 639
pterosporus 626, 631, 639
Massarina
arundinacea 1076, 1078
lacustris 1076
Megalocystidium 21
leucoxanthum 21
montanum 21
Megaloseptoria 294–295
Megatricholoma 494, 496
colossum 494
Melampsora spp. 524
Melanamphora 1056, 1059
Melanochaeta 1056, 1059
Melanomma 344
Melanospora 665
zamiae 655–666, 656–659f, 661–664f
Melasmia sp. 295
Melzericium 21
udicolum 21
Meruliopsis 9, 21
bellus 21
hirtellus 21
sulphureus 21
Meruliporia 21, 27
Merulius 3 ,21, 23
aureus 25
destruens 27
molluscus 20
niveus 24
Metarhizium 743
anisopliae 210, 586–594, 866
flavoviride 586–590, 592
Metulodontia 21
nivea 21
Microascus 297, 300–301
brevicaulis 297, **298**, 299f, 300–301
manginii 300
niger 301
trigonosporus 613–615
Microbotryum violaceum 372
Microdochium 344
nivale 995, 999
nivale var. majus 344
oryzae 995–999, 997f
panattonianum 995, 999
passiflorae 344
spp. 995, 999
Microglomus paxillus 358
Microhilum 752
Microstoma 235–237, 239
floccosum 235–238
Monacrosporium 307
Monascus purpureus 664
Moniliopsis 29
anomala 29
solani 29
Monographella albescens 995
Monotosporella 1055–1056, 1059–1060, 1061f
Montagnea 972, 975, 977
arenaria 973, 975–976
Morchella 711
angusticeps 705, 706, 711, 712
anteridiformis 708
conica 705, 711, 712
costata 705, 711, 712
crassipes 705, 711, 712
deliciosa 705, 711
elata var. purpurascens 708
elata var. elata 711
elata var. purpurascens 708
esculenta 705, 706, 711, 712
guatemalensis 705, 706, 708–712, 709f

herediana 708, 710, 711
hortensis 711
purpurascens var. ionoviridis 711
rigida 711
rigidoides 705, 708, 710, 711
rotunda 705, 712
rufobrunnea 705–712, **706**, 707–709f
semilibera 711
sp. 708
spp. 706
umbrina 705, 712
Mortierella 1040–1041, 1045
alpina 1045
amoeboidea 1044
chlamydospora 1040, 1045
cogitans 1040, 1042–1043f, 1044–1045
elongata 1040
epigama 1040, 1044–1045
gemmifera 1040, 1045
globulifera 1044
kuhlmanii 1040–1041, 1045
microzygospora 1040, **1041**, 1043–1044f, 1044–1045
nigrescens 1040, 1045
parvispora 1040
polycephala 1040
pulchella 1044
renispora 1040, 1045
rostafinskii 1040, 1044
stylospora 1040
Mucor 1045
miehei 886
Mucronella 21–22
aggregata 22
bresadolae 22
calva 22
flava 22
Mycena 1093
Mycoacia 22, 28
aurea 22
austro-occidentale 22
fuscoatra 22
uda 22
Mycobonia 3, 16, 22
flava 22
Mycodidymella 336
aesculi 334, **336**, 337f, 338, 341–342, 343f, 344–345
Mycogone cervina 300
Mycopappus 334, 341, 344
aceris 344
aesculi 334, **336**, 338f, 340f, 341, 344–345
alni 344
sp. 779, 781
Mycorrhaphium 22
adustulum 22
adustum 22
Mycosphaerella 189, 344–345, 726, 727, 730
deightonii 342
latebrosa 189–190
lupini 726–731, 727–728f, **727**
Myriapodophila argentinensis 282
Myriogenospora atramentosa 613–615
Myxomycidium 22
Myxotrichum 855, 861, 866, 867
aeruginosum 855
arcticum 854, 856, 861, 862, 864, 866
berkeleyi 855
bicolor 855
cancellatum 854, 856, 861–862, 864, 866
carminoparum 856, 862, 866
chartarum 856, 862, 866
deflexum 856, 861, 862, 866, 867
ochraceum 855
setosum 854, 856, 861–862, 864, 866, 867
stipitatum 857, 862, 866
Nannfeldtiomyces 964
sparganii 964–965, 970
Nanoscypha 235–240
sp. 235–239
striatispora 238–241
tetraspora 235–240
Narasimhania 964
Naucoria kauffmani 119
Nectria 279, 732
haematococca 613, 614
pseudotrichia 613, 615
radicicola 613, 615
subgen. Dialonectria 279
Nematostelium
gracile 358–359
ovatum 358–359
Neocallimastix frontalis 1006
Neocosmospora
diparietospora 613, 615
endophytica 613, 615
vasinfecta 613–615
Neolecta 354, 829
Neosartorya 831–832, 840–843
aurata 834, 835, 837–841
aureola 832, 834, 837–842
fennelliae 831, 832, 834, 835, 837–843
fischeri 831, 832, 834–835, 837–842
glabra 832, 835, 837–841
hiratsukae 835–838, 840–842
pseudofischeri 831, 832, 835, 837–843
quadricincta 835, 837–838, 840–841
spathulata 831, 835–838, 840–842, 843
spinosa 832, 835, 838–841
stramenia 835, 837–838, 840–841
Neosecotium 975
Neotyphodium 108, 110, 115, 226, 231–232, 570
coenophialum 613, 615
spp. 226
starrii 569–578
typhinum 115
Neozygites 566
cucumeriformis 568
floridana 568
huerfanum 570
parvispora 565–568, 567f
Nephlyctis 519
Neurospora 223
crassa 89–90, 215, 613, 614, 787, 886
Nodulosphaeria 344
Nolanea 680
Nomuraea 743
rileyi 759
Notholepiota 975
Nothopeziza
praetervissa 354
violacea 354
Odontia
furfurella 28
romellii 22
subabrupta 12
Odonticium 22
laxa 22
romellii 22
Oidiodendron 854–867, 869
cerealis 856, 859, 860, 862, 866
chlamydosporicum 856, 858–862, 865, 866
citrinum 856, 858–862, 865, 866
echinulatum 856, 859–862, 866
flavum 856, 858–862, 865, 866
fuscum 855, 863
griseum 854–866, 869
maius 854–866, 869
periconioides 856, 859, 860, 862
pilicola 856, 859, 860, 862
rhodogenum 856, 859, 860, 862
scytaloides 856, 858–862, 865, 866
setiferum 856, 859–862, 865
sp. 859–862
spp. 854, 857
tenuissimum 854–865, 869
truncatum 856, 859–862, 867
Oliveonia 22
fibrillosa 22
pauxilla 22
subviolacea 22
Omphalia 977
Omphalotus 1071
Opadorhiza 170
Ophiostoma 136–137, 139–140
capense 136–140
minus 69–73, 664
novo-ulmi 785–788
piliferum 69–74, 137–139
protearum 137
splendens 137
spp. 140
ulmi 613, 614
Orbilia 307–308
junci 303, 305–307f, 307–308
luteorubella 916
marina 306
Ostropella 527
albocincta 527–530
striata 527, 528–530, 528–529f
Ovadendron 862
Pachyella 350–351
clypeata 349–351, 353
Paecilomyces 743
marquandii 210
sp. 937
tenuipes 613–616
varioti 842
Panellus
longinquus 595
longinquus subsp. pacificus 595
longinquus var. longinquus 595
Paraisaria 743, 750, 752
Parepichloe 226, 228f, 230f, **231**, 232
bambusae 227, 228f, 229, 231–232
cinerea 226, 229, 228f, 230f, 231–232
cynodontis 227, 229, 228f, 230f, 231–232
oplismeni 227, 229, 231–232
sasae 227, 229, 231–232
sclerotica 226–227, 229, 228f, 230f, 231–232
volkensii 227, 229, 231–232
Parmelia
sulcata 1088, 947
Passeriniella 344
Paullicorticium 22, 900
Pellicularia cystidiata 29
Peltigera neopolydactyla 824–827
Penicillium 572, 832, 842, 866, 946, 947
aethiopicum 842
brasilianum 842
brevicaule 297
digitatum 90
frequentans 210
funiculosum 210
fuscum 210
italicum 944
jensenii 210
lilacinum 210
mononematosum 842
pulvillorum 210
raistrickii 210
sp. 210
thomii 210
Penicillium subg. biverticillium 842
Peniophora 3, 13, 23, 640, 644–646, 648, 650, 652, 653
abietis 20
aegerita 20
aurantiaca 642–650

cinerea 642, 643, 645–650
clematitis 20
decorticans 642, 643, 645–650
exigua 134
filamentosa 134
flava 132, 134
gracillima 30
heterogenea 27
hydnoides 27
incarnata 642, 643, 645–650
lauta 29
luna 10
meridionalis 642, 643, 645–650
nuda 642, 643, 645–650
piceae 642, 643, 645–650
pini 642, 643, 645–650
polygonia 642, 643, 645–650
proxima 642, 643, 645–652
rufa 642, 643, 645–650
spp. 640
subiculosa 132–134
vermifera 30
versicolor 642, 643, 645–652
vilis 26
Peridermium 244, 248–252, 255
appalachianum 246
bethelii 244, 247, 250–252
cerebrum 246
coloradense 246
comptoniae 246
conigenum 246
cornui 246
filamentosum 246, 254–255
harknessii 244, 247, 249, 250–254
holwayi 248
occidentale 246
pini 247, 249–251, 1028
pyriforme 246
spp. 249
stalactiforme 246, 254
strobi 246–247
strobilinum 247
Pestalotia longiaristata 295
Pestalotiopsis 295
steyaertii 295
Petriella setifera 613, 615
Peyritschiella 288
Peziza 349–351, 352–354, 422, 733
acanthodictya 349–351
alaskana 349–351, 353
amorpha 5
atrovinosa 349–351, 353
badia 349–351, 353
brunneoatra 349–350, 353
carbonaria 349–351
endocarpoides 349–351
flava 22
griseo-rosea 349–351, 353
ostracoderma 349–351, 353
praetervissa 349–351, 353
trachycarpa 349–351
vacinii 349–351, 353
violacea 349–351, 353
Phaeocalicium 1090
Phaeocollybia 118–123
kauffmanii 119f, 120
latispora 119f, 120
lugubris 118, 120, 122
mexicana 121f, 122
piceae 119f, 120
sp. 119f, 121f, 122f
spadicea 118, 120, 121–122f, 122–123
spoliata 118, 119f, 120
subarduennensis 118, 120, 121–122f, 122
Phaeomarasmius 151
ciliatus 153
gypsophilus 151–154, 152–153f
Phaeosphaeria 344
barriae 1075, 1076, 1077f, 1078
consobrina 1076
eustoma 1076
halima 777, 779, 781–782
spartinicola 777, 779, 781–782
typharum 781
Phanerochaete 132, 23
chrysosporium 883
exigua 132, 134
flabelliradiata 19
flava 132, 132f, 132–134
flavescens 133
mauiensis 134
salmoneolutea 134
subiculosa 132, 134
Phellinus 2
torulosus 1071
weirii 804
Phialea 422
granigena 422, 425
mucosa 422, 425
temulenta 422
Phialophora 570
Phlebia 21–23
chrysocrea 134
radiata 23
vaga 23
Phlebiella 23, 32
Phlebiopsis 23
flavido-alba 23
gigantea 23
ravenelii 23
Phloeospora 189, 295
aceris 189–190
Phoma 196, 726, 730
cucurbitacearum 295
gentianae-sino-ornatae 295
medicaginis 295
sp. 295, 727, 729
spp. 197
terrestris 294–295
Phomatospora 323, 325, 328–329
acrostichi 328
admontensis 328
aquatica 328
arenaria 329
bellaminuta 328
berkeleyi 323, 324f, 325, 329
dinemasporium 328
feurichiana 323
kandelae 328
muskellungensis 323, **325**, 326–327f, 328–329
nypae 328
saccardoi 323
striatigera 323, 325, 327f, 328
therophila 328
Phomatosporella albomaculans 328
Phomopsis sp. 360–362, 364f, 365
Phycomyces 556
blakesleeanus 785
Phyllosticta 263, 601
ampelicida 258–268, 260–262f, 264–265f
sp. 263
Physalospora
alismatis 323
kirulisii 323
microspora 323
moliniae 323
Physarum
polycephalum 90, 103, 106, 386
Phytophthora 85, 91–92, 269, 273–274, 407, 1001, 1007, 1092–1093
cinnamomi 85–95, 273
infestans 91, 1092
megasperma f. sp. glycinea 91
palmivora 270, 274, 1007
parasitica 270, 273–274
sojae 1092, 269–274, 272f
Pilobolus 556, 557f
Piloderma 23
byssinum 24
fallax 24
lanata 24
olivaceum 24
reticulata 24
Pirex 24–25
Pithya 235, 237, 239, 241
cupressina 235, 237–238
Pityrosporum ovale 164
Plasmodiophora
brassicae 102–106, 869
Pleurotopsis longinqua 595–600
Pleurotus 502, 674, 1063–1065, 1069, 1071–1072
abalonus 1063–1065, 1069–1072
australis 1063–1072
calyptratus 1072
cornucopiae 495, 502
corticatus 1063
crustosus 143
cystidiosus subsp. abalonus 1063, 1072
cystidiosus var. formosensis 1070–1071
djamor 599, 1072
gemmellarii 1063, 1072
geogenius 143
inversus 143
niger 142–143
ostreatus 556, 674–679
portegnus 150
pulmonarius 495, 502, 599, 1072
purpureo-olivaceus 1063–1072
rattenburyi 1063
sajor-caju 89–90
smithii 1063–1072
subbarbatus 145, 149
Plicaria 349–351, 353–354
acanthodictya 349, 353, 353
carbonaria 349, 353
endocarpoides 349, 353, 353
trachycarpa 349, 353
Plicatura 24
alni 24
crispa 24
nivea 24
Plicaturopsis 24
Pneumocystis carinii 89–90
Podaxis 972, 975, 977
pistallaris 975–976
Podoscypha 24
nitidula 24
Polycephalomyces 743
Polymyxa 102, 105
betae 105, 869, 877, 878, 880, 881
graminis 105, 869–882, 872f, 874–879f
Polypaecilum 301
Polyporus squamosus 556
Polysphondylium 715–725
acuminatum 715–718, **716**, 717f, 720f, 723, 724
asymetricum 715–720, 717–718f, **719**, 720f, 724
colligatum 715–721, 717–718f, **719**, 720f, 724
filamentosum 715
pallidum 715, 716, 722f, 723–724
pseudocandidum 715, 716, 722f, 723–724
spp. 724
tenuissimum 715, 721, 722f, 724
tikaliensis 715–717, 717f, 719–720f, **721**, 723, 724
violaceum 715, 716, 718, 721, 722f, 723–724
Polystictus versicolor 170
Polytomella 897
indica 897–902, **897**, 898–900f
Poria
fimbriata 24
lamellosa 16
trachyspora 20
Porostereum 21, 24
crassum 24
papyrinum 24
phellodendri 24
spadiceum 24
Porotheleum 24, 29

fimbriatum 24
perenne 24
revivescens 24
subiculosa 24
Proliferodiscus 697
Prospodium 519
elegans 519
manabii 518, 519f, 519
Protosteliopsis fimicola 358
Protostelium
arachisporum 358
mycophaga 358–359
Psathyrella 1093
Pseudobotrytis terrestris 210
Pseudocercospora 731
Pseudocercosporella 730
Pseudodidymella 342
fagi 334, 342, 344
Pseudodoassansia 964
Pseudogymnoascus roseus 855, 857–862, 866
Pseudohydnum gelatinosum 901
Pseudolagarobasidium 24
concentricum 25
leguminicola 24
Pseudomerulius 25
aureus 25
curtisii 25
Pseudorhizina 352
Pseudoseptoria obtusa 295
Pseudotomentella 25
Ptychogaster rubescens 25
Puccinia 849, 1079–1080
aculeatispora 1083
boutelouae 1083
consimilis 847, 849–851
garcilassae 518, **520**, 520–521f
geophilae 1083
holboellii 847
holwayula 520
hordei 849
inaudita 520
levis var. goyazensis 1085
levis var. levis 1085
levis var. panici-sanguinalis 1085
levis var. tricholaenae 1085
machalillae 518, **519**, 519–520f
mesnieriana 849
monoica 846–852
papillifera 1081
piptadeniae 1081, 1083
puiggarii 1081
thlaspeos 847–852
vinulla 522
Pucciniastrum 244, 248
goeppertianum 248–251
Pulcherricium 25
caeruleum 25
Punctularia 25
atropurpurascens 25
strigosozonata 25
subhepatica 25
Pyrenochaeta
sp. 210, 295
terrestris 295
Pyrenophora graminea 63
Pyricularia grisae 954
Pythium 269, 274, 407, 1001, 1093
aphanidermatum 273, 1007
coloratum 274
Pyxidiophora 282
Radulodon 25
americanus 25
casearium 25
Radulomyces 15, 25
confluens 25
cremoricolor 25
Radulum
investiens 31
mirabile 20
Ramaricium 26
alboflavescens 26
alboochraceum 26
flavomarginatum 26
occultum 26
polyporoideum 26
Ramichloridium 823
Ramularia 730
lupini 726, 727
Ravenelia 1080
Rectipilus 26
sulphureus 26
Reddellomyces 352
Repetobasidium 26
Resinicium 26
bicolor 26
furfuraceum 26
meridionale 26
praeteritum 26
Resupinatus
niger 143
subbarbatus 146
Rhamphospora 964, 967
nymphaeae 964–965, 967, 968–969f, 969–970
Rhinocladiella 823
selenoides 210
Rhinotrichum subalutaceum 548
Rhizina 352
Rhizoctonia 9, 170–171, 176–178, 900, 902
solani 29, 170–176, 172f, 900–901, 906
sp. 937
Rhizophydium littoreum 1001, 1006–1007
Rhizopycnis 291, 292, 294–295
vagum 290, **291**, 292, 293f, 294–295
Rhodocybe 680
Rhodocybella 680
Rhodogaster 680
Rhodophyllus
hyalodepas 693
stylophorus 689
Rhodosporidium 947
Rhodotorula 947
glutinis 948–949
minuta 948–949
Rhopalomyces 624, 625, 627–630, 629f, 632–634, 638, 639
elegans 626, 627, 631, 638, 639
Rhynchosporium secalis 90
Rhytidhysteron rufulum 824–828
Richoniella 680
Rickia 287–288
dendroiuli 288
pachyiuli 288
siddhartha 288
uncigeri 288
Ripartitella 971–973
brasiliensis 975–976
Rosenscheldiella 344
Russula 972, 976
virescens 973, 975–976
Saccardoella 703–704
aquatica 701–704, 702f
berberidis 703
canadensis 703
dehliana 703
ingridae 703
kanderana 703
macrasca 701, 703
mangrovei 703, 704
marinospora 701–704
miscanthi 703
montellica 703
rhizophorae 703, 704
separans 703
transsylvanica 703
Saccharomyces 785, 825–827
cerevisiae 89–90, 103, 105–106, 138, 586, 612–614, 786–788, 824–827, 955, 961
Sagenomella 301
Saprolegnia 272
diclina 1001, 1007
parasitica 273
Sarcodontia 26
crocea 26
Sarcopodium 277, 280
Sarcoscypha 235–241
austriaca 235, 238–239, 241
coccinea 236, 238–239, 241
dudleyi 238–239, 241
emarginata 239–239, 241
hosoyae 238–239, 241
humberiana 238–239, 241
javensis 236, 238–241
knixoniana 238–239, 241
korfiana 236, 238–239, 241
macaronesica 238–239, 241
mesocyatha 238–239, 241
occidentalis 238–241
striatispora 235, 237–241
vassiljevae 238–241
Savoryella 1055–1056, 1059
Schizophyllum 26
commune 26, 89–90, 788, 884–889, 901
fasciatum 26
umbrinum 26
Schizoplasmodiopsis
pseudoendospora 358
vulgare 358
Schizoplasmodium cavostelioides 358
Schizosaccharomyces pombe 89–90
Scleroderma sp. 49–50
Sclerotinia 422
sclerotia 900–901
sclerotiorum 586, 593
secalincola 422–423
Sclerotium 9
Scolecosporiella 1078
Scopulariopsis 297, 300–301
asperula 301
brevicaulis 297–298, 300–301
candida 300–301
Scopuloides 27
hydnoides 27
Scutellospora calospora 583
Scytinostroma 27
Scytinostromella 10, 27
arachnoidea 27
heterogenea 27
humifaciens 27
nannfeldtii 27
olivaceo-album 27
Sebacina 3, 170
fibrillosa 22
sp. 176
vermifera 170–173, 176–178, 177f
Selenophoma obtusa 295
Septobasidium 3, 45
Septomyrothecium 279–280
Septoria 189, 191–193, 192, 196–197, 215, 295
aceris 189–190, 190–191f, 192, 193–194f,194–197, 194f
adanensis 197
apiicola 197
aureocorona 197
chrysanthemella 189–190, 196–197
cytisi 189, 197
nodorum 89–90, 215–216, 221–223
obesa 197
passerini 197
quercicola 189–190, 190–191f, 192, 193–194f, 195–197
tritici 197
Septoriella 189, 197
Serenomyces 667, 668, 671, 672
californicus 671
Serpula 21, 27
himantioides 27
incrassata 27
lacrymans 27, 556
Sistotrema 27
confluens 27
lacteum 18
viride 5
Sistotremastrum 27
niveocremeum 28
suecicum 27–28
Skvortzovia 28

furfurella 28
Smittium 427–428, 430, 432, 628–630, 629f, 633, 634, 638, 639
aciculare 430
acutum 427, **430**, 431f, 433
angustum 432
caudatum 427, **428**, 428f, 433
coloradense 430
commune 427, **429**, 429f, 430, 432–433
culicis 427, 430
culisetae 626, 631, 639
delicatum 432
fastigatum 430
imitatum 427
kansense 427, **430**, 432, 432f
longisporum 432–433
morbosum 430
pennelli 430
phytotelmatum 432
simulatum 427
simulii 427
spp. 427
tipulidarum 430
Solenia 3, 16, 28
candida 16
fasciculata 26
Soliformovum irregularis 358
Solorina crocea 824–827
Sordaria fimicola 824–827
Sorosphaera
ulei 965
veronicae 880
Sorosporella 750–751
spp. 751
uvella 751
Spadicoides 514
Sphacelotheca
austro-americana 743
Sphaeria
lupini 729
phomatospora 323
Sphaerobasidium 28
minutum 28
subinvisibile 28
Sphaerographium 294–295
Sphaeronema sp. 295
Sphaerophorus globosus 824–827
Sphaeropsis 601, 605
sapinea 601, 603–609
sp. 603–606
spp. 601
Sphenospora 1080–1081, 1085
copaiferae 1080, 1083
dalbergiellae 1080–1081
pallida 1079, 1085
xylopiae 1081
Spherotheca drabae 1015
Spirodactylon 624, 628–630, 629f, 632–634, 638, 639
aureum 626, 631, 639
Spiromyces 624, 628–632, 634–636, **636**
aspiralis 624–627, 629–639, 629f, 634–**636**, 634f
minutus 625, 626, 629–631, 629f, 633, 635, 636, 638, 639
spp. 635, 638
Spizellomyces 624, 625, 627–630, 630f
acuminatus 625–627
Spongospora subterranea 102
Sporobolomyces 947
holsaticus 549
roseus 948
Sporormia 825
lignicola 824–827
Sporoschisma 1059
Sporothrix 136–137, 329, 743
Sporotrichum
narcissi 905, 906
Stagonospora 215, 290, 294–295, 1078
meliloti 294
nodorum 215, 222
paludosa 294
subseriata 292, 294–295
Steccherichum 28
seriatum 28
Steccherinum 28
fistulatum 28
Stenocephalopsis 548
subalutacea 548
Stenocephalum 548
subalutaceum 548
Stenocybe 1087–1088, 1090
ahtii 1090
bartlettii 1088, 1090
bryophila 1090
clavata 1087, 1090
fragmenta 1087, 1088, 1088–1089f, 1090
major 1090
minutissima 1090
pullatula 1090
septata 1087, 1090
tremulicola 1090
Stephanosporium cereale 866
Stereocrea 36
Stereopsis 28
burtianum 28
hiscens 28
humphreyi 28
Stereum 3, 16, 28, 640, 644–646, 652, 653
hirsutum 642, 643, 645–650, 652, 653
nitidulum 24
pusiolum 12
radiatum 8
rugosum 642, 643, 645–650, 652, 653
spp. 640, 645, 646
subcruentatum 5
sulcatum 19
surinamense 24
versiforme 13
Stigmatomyces 1051–1052
bettellae 1047, **1049**, 1050f
constrictus 1047, 1049, 1051
crassicollis 1047, 1051
discocerinae 1047, 1051–1052
drosophilae 1051
entomophilus 1047, 1050f, 1051
ephydrae 1053
hydrochasmatis 1047, 1050f, **1051**, 1052
ilytheae 1047, 1050f, 1052
limnophorae 1047, 1052
limosinae 1051
matilei 1052
parydrae 1049
pentandrus 1047, 1050f, 1052–1053
pinguis 1049
rugosus 1047, 1053
sarcophagae 1052
spp. 1050f
ventriosus 1049
visinonii 1047, 1050f, **1053**
Stigmina 345, 731
zilleri 344
Stilbella 743
Stromatinia 422
Stromatoscypha 24, 29
Stylonochia 667, 670f
princetonensis 667, **668**, 668, 670f
Subulicium 29
lautum 29
rallum 29
Subulicystidium 29
longisporum 29
Suillosporium 29
cystidiatum 29
Suillus
granulatus 599
luteus 599
Syngliocladium 743–744, 753, 746–747f
aranearum 744, 750, 751, 751f
cleoni 750
intricatum 744, 750, 751, 751f
sp. 745, 751
spp. 751f
tetanopsis 744, 746, 746–747f, **750**, 750–752
Taeniospora 535–536
descalsii 535–536
gracilis 536
nasifera 535–536
spp. 536
Talaromyces 832, 843
derxii 832
flavus 406, 411
Taphrina 825, 827
deformans 948
saccharomyces 826
wiesneri 824–827
Tetrahymena 556
Thanatephorus 29, 32, 170, 178
cucumeris 29
pennatus 29
praticola 900–901
sterigmaticus 29
Thanatophyton 170
Thedgonia 726, 730
ligustrina 730
lupini 726–728, 728f, 730
Thelephora 3, 29–30
atrovirens 9
bicolor 19
bombycina 18
byssoides 5
chailletii 6
comedens 31
confluens 25
evolvens 12
ferruginea 29
frustulata 32
fuscocinerea 30
gigantea 23
hirsuta 28
murraii 12
ochracea 10
purpureum 10
puteana 10
quercina 23
radicans 28
salicina 12
setigera 17
spadicea 24
subhepatica 25
terrestris 29
undulata 11
Thelephoraceae 1
Thozetella 279–280
Thujacorticium 29
mirabile 29
Tiarosporella graminis 197
Tilletia 184, 184f, 187–188, 187f, 310–311, 320–322, 965, 1033, 1035
barclayana 180–181, 183–188, 183–187f
bromi 310–312, 314, 317, 320–321
controversa 180–181, 183–184, 183f, 186, 310, 312, 314, 316–317,
decipiens 319
fusca var. bromi-tectorum 311–312, 314, 316–317, 320–321, 320f, 1031–1032, 1036, 1038
fusca var. fusca 311–314, 316–317, 320–321, 320f, 1031–1032
fusca var. guyotiana 311–312, 314, 316–317, 320f, 321, 1031–1032, 1036, 1038
boutelouae 1017–1026
goloskokovii 310–312, 314, 315–317, 316f, 318f, 320f, 319–321, 1036
indica 180–188, 183–187f
laevis 186
menieri 310–312, 314, 317, 318f, 319

pulcherrima var. brachiariae 743, 1026
separata 310–311, 313–314, 316–317, 318f, 320f, 319–321
sp. 320
sphaerococca 310–311, 313, 315, 317, 318f, 319
spp. 183–184, 183f
togwateei 320, 1031, 1035
tritici 180–181, 183–184, 183f, 186, 310, 316
Titaeella 536
capnophila 536
Tolypocladium 743, 750–752
cylindrosporum 752
inflatum 752
Tomentella 29–30
Tomentellastrum 30
badium 30
brunneofirma 30
fuscocinereum 30
montanensis 30
Tomentellina 30
Tomentellopsis 30
pallido-aurantiaca 30
Topospora 294–295
Torula
herbarum f. quaternella 210
Toxoplasma gondii 90
Tracya 964
Trametes
lacinea 82
versicolor 266
Trechispora 8, 30
mollusca 30
onusta 30
Tremella foliacea 901
Tremellodendropsis tuberosa 176
Triainomyces 282, 287–288
hollowayanus 282, 282–284, 285–286f
Trichaptum 900
abietinum 901
Trichocladium 1055, 1059
uniseptatum 1055, **1056**, 1058f
Trichoderma 76–80, 904, 908, 910, 912
atroviride 76–80, 904–906, 908–913, 914
aureoviride 210
hamatum 77, 79, 210
harzianum 76–80, 210, 904–909, 911–913, 914, 908f
inhamatum 905–906, 909, 912, 913
longibrachiatum 77–79, 906, 908, 911, 912
narcissi 905, 912
nunbergii 905, 906, 912
pseudokoningii 77–79
reesei 77, 79
sect. Pachybasium 905, 913
trichoderma 908, 913
viride 77–80, 90, 905, 906, 909–913
Tricholoma 494, 496, 501–504
aestuans 501
altaicum 494
cifuentesii 494, 500–501
colossum 494
crassum 495, 497, 499
cystidiosum 494–495, 500–501
flavovirens 494–495, 501, 503
giganteum 494–495, 497–498, 503–504
imbricatum 494–495, 502–504
intermedium 494–495, 501–502
lobayense 498
matsutake 901
mongolicum 494
pachymeres 495, 499–501, 503
praegrande 494–495, 500
spectabilis 499
titans 494–496, 500–501, 504
vaccinum 494–495, 501–503
Trinacrium 307
Triposporina quadridens 307
Trogia 733, 734
Troglomyces 288
manfrediae 287
Truncatella 295
Tuber 352, 389–395, 537–539, 543–545, 796
aestivum 537–538, 541–545
aestivum var. aestivum 537
albidum 392–393
borchii 389–394, 537–538, 540–545
brumale 389–390, 392–394, 537–538, 541–545
maculatum 389–394, 537–538, 540–545
magnatum 389–394, 537–538, 540–545
melamosporum 389–390, 392–394
melanosporum 537–538, 541–545
moschatum 537
puberulum 389–390, 392–394, 537–538, 540–545
spp. 389
uncinatum 537–538, 541, 543–544
Tubiculum 14
Tubulicium 30
capitatum 30
vermiferum 30
Tubulicrinis 30
Tulasnella 3, 16, 31, 170
lilacina 31
violea 31
Tychosporium acutistipes 358
Tylospora 31
asterophora 31
fibrillosa 31
Uncinocarpus reesii 824
Underwoodia 352
Uredinopsis 525
kameiana 525
pteridis 524–525, 525f
sp. 518
spp. 524
Uredo
copaiferae 1083
garcilassae 521
geophilae 1083
geophiliana 1083
meridae 522–523, 523f
puiggarii 1081
quitensis 518, 522–523, 522f
reicheana 522
ribesii-andicolae 518, 523f, **523**, 524
verruculosa 518, **524**, 524f, 525
Uromyces
appendiculatus var. appendiculatus 819
scillarum 849
valerianae 522
valerianae-microphyllae 518, **521**, 521–522f, 522–523
valerianae-wallichii 522
Usnea 1088
hirta 1088
Ustilaginoidea 232
Ustilago
hordei 379
maydis 901
nuda 379
violacea 372–374, 376, 378–379
Ustilentyloma fluitans 965
Uthatobasidium 31
fusisporum 31
ochraceum 31
Valsa
laevaterae 743
Vararia 31
Veluticeps 3, 10, 31
berkeleyi 31
Venturia
inaequalis 89–90, 258
Verpa 352
Verticicladiella 197
Verticillium 743
dahliae 215, 221–223
sp. 210
Vesiculomyces 16,31
citrinum 625
Vibrissea 1088
Volvariella volvacea 781
Vuilleminia 31, 640, 644, 646, 652, 653
comedens 32, 642, 643, 645–650
cystidiata 642, 643, 645–650, 652
spp. 645
Waitea 32, 170, 178
circinata 32, 170–172, 175–176, 175f, 178
Westerdykella 825
dispersa 824–827
Wettsteinina lacustris 1076, 1078
Wojnowicia 294–295
graminis 295
hirta 295
Wynnella 352
Xenasma 32
ludibundum 32
minutum 28
Xenasmatella 23, 32
Xenocylindrocladium 276, 279–280
Xenolophium 527, 520
Xenosperma 32
ludibundum 32
murrillii 32
Xylaria
hypoxylon 613, 615
Xylobolus 32
frustulatus 32
subpileatus 32
Xylomyzon taxicola 21
Ypsilonidium 29, 32
Ypsilospora 1080
Zelleromyces sp. 49–50
Zugazaea 697, 698
agyrioides 697–700, **697**, 699f
Zygorhynchus 1045

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
  Amylostereum chailletii 642
  Peridermium holwayi 248
  Phaeocollybia latispora 120
  Pseudogymnoascus roseus 857
Acanthus
  Halophytophthora vesicula 1001–1005
Acer
  Ceratocystis virescens 97
  Dendrocorticium polygonioides 642
  Peniophora decorticans 642
  Pleurotus cystidiosus 1065
  Septoria aceris 189–190
  Stenocybe fragmenta 1088
Actinidia
  Botryosphaeria dothidea 603
  Fusicoccum aesculi 603
    luteum 603
Aedes
  Coelomomyces stegomyiae 559–564
Aesculus
  Blastostroma aesculi 334–338
  Mycodidymella aesculi 334–338
  Mycopappus aesculi 334–338
Agaricus
  Trichoderma harzianum 76
Agave
  Laetisaria agavei 19
Agromyza
  Stigmatomyces pentandrus 1052
Agropyron
  Gloeotinia temulenta 423
Agrostis
  Epichloe amarillans 229
    baconii 229
  Glomus mosseae 792
  Tilletia sphaerococca 313, 317
Aira
  Tilletia fusca 1031
Allium
  Glomus mosseae 792
Alnus
  Peniophora aurantiaca 642
  Pleurotopsis longinqua 595
  Stenocybe fragmenta 1088
  Vuilleminia comedens 642
Ammophila
  Glomus mosseae 792
Ananas
  Fusarium guttiforme 437, 482–483, 489
Andropogon
  Parepichloe sclerotica 229
    volkensii 229
Angelica
  Trichoderma atroviride 908
Apera
  Tilletia bromi 317
    contraversa 317
    fusca 310, 1035
    goloskokovii 310–313, 315, 317, 319
    separata 310, 313, 317, 319
Aphananthe
  Pleurotus cystidiosus 1065
Arabidopsis
  Erysiphe cichoracearum 1009–1010
    cruciferarum 1009–1010
    orontii 1010
Arabis
  Puccinia consimilis 847, 849–851
    monoica 846–853
    thlaspeos 847–851
Arctostaphylos
  Chrysomyxa arctostaphyli 247
Atherosperma
  Pleurotus australis 1065, 1069
Atta
  Tricholoma pachymeres 500
Baphia
  Ypsilospora 1079
Begonia
  Aecidium begoniae 526
  Coleosporium begoniae 526
  Fusarium begoniae 436, 482–483, 488
Bemisia
  Fusarium verticillioides 492
Betula
  Cytidia salicina 642
  Peniophora cinerea 642
    nuda 642
  Stereum rugosum 642
Bouteloua
  Tilletia boutelouae 1019
Brassica
  Cyathus olla f. brodiensis 988
  Erysiphe cruciferarum 1009
Bromus
  Gloeotinia granigena 423
  Tilletia bromi 1031, 1033–34, 1036–1038, 1304
    controversa 312, 1031
    fusca 310–311, 317, 1031, 1033, 1037
    fusca var. bromi-tectorum 312–313, 321, 1031, 1036
    fusca var. guyotiana 312–313, 321, 1031, 1036
    goloskokovii 311
  Ustilago bullata 1032
Broussonetia
  Antromycopsis 1070
  Pleurotus gemmellarii 1072
Bryopsidis
  Rhizophydium littoreum 1001
Buckleya
  Cronartium appalachianum 246, 255
Buxus
  Peniophora proxima 642
Cajanus
  Fusarium acutatum 436, 488
    nygamai 490
    udum 438
Calamagrostis
  Epichloe baconii 229
  Gloeotinia temulenta 423
Calliandra
  Allotelium mirabile 1080
Callitriche
  Doassinga callitrichis 965–967
  Entyloma callitrichis 965
  Sorosphaera ulei 965
Cannabis
  Piriformospora indica 896
Capillipedium
  Parepichloe sclerotica 229
Capsella
  Erysiphe orontii 1012
Capsicum
  Alternaria solani 813
Carex
  Phaeosphaeria barriae 1075–1076
  Phomatospora 328
    admontensis 328
    berkeleyi 325, 329
Carthamus
  Melanospora zamiae 655
Caryota
  Fusarium proliferatum 491
Cassia
  Diorchidium puiggarii 1081
Castanea
  Aleurodiscus wakefieldiae 642
Castilleja
  Cronartium arizonicum 246
    coleosporiodes 246
Cattleya
  Fusarium proliferatum 438, 491
    sacchari 491
Centococcum
  Balansia andropogonis 109
  Itersonilia perplexans 548
Centotheca
  Balansia andropogonis 109
Cercidiphyllum
  Armillaria mellea 397
Cercis
  Botryosphaeria dothidea 603
    obtusa 603
  Fusicoccum aesculi 603
  Sphaeropsis sp. 603
Cercocarpus
  Stenocybe fragmenta 1087–1088, 1090
Chamaecyparis
  Armillaria mellea 397
Chilo
  Fusarium sacchari 491
Chrysanthemum
  Phoma sp. 295
Cicer
  Fusarium udum 492
Citrullus
  Rhizopycnis vagum 290
Citrus
  Alternaria alternata 818
    alternata f. sp. Citr 814
Claviceps
  Cordyceps 743
Clethra
  Pleurotus smithii 1069
Coccus
  Hypocrella africa 37
Codium
  Rhizophydium littoreum 1001
Coffea
  Chalara neocaledoniae 97
  Fusarium camptoceras 506
Comandra
  Cronartium comandrae 246
Copaifera
  Diorchidium copaiferae 1085
  Sphenospora copaiferae 1079, 1083
Cordyceps
  Cordyceps 743
Corylus
  Peniophora incarnata 642
Corynocarpus
  Pleurotus australis 1069
Cricotopus
  Cordyceps variabilis 744, 745, 747, 748
  Smittium caudatum 428
    commune 430
  Synglíocladium 744
Cronartium
  Fusarium bactridioides 436, 482–483, 488
Crotalaria
  Fusarium udum 492
Crotolaria
  Fusarium udum 438, 492
Cucumis
  Rhizopycnis vagum 290, 292

Cymbidium
Fusarium proliferatum 438
Cynodon
Parepichloe cynodontis 229
Piriformospora indica 896
Dactylis
Epichloe typhina 229
Dalbergiella
Sphenospora dalbergiellae 1080
Daucus
Gigaspora gigantea 921–926
Dendrocalamus
Diplococcium dendrocalami 515
Dendroctonus
Ceratocystis rufipenni 97
Dendroiulus
Martensella corticii 625, 626
Rickia dendroiuli 288
Derris
Diorchidium koordersii 1080–1081
Dianthus
Fusarium redolens 482–483
Dimecoenia
Stigmatomyces visinonii 1047, 1050, 1053
Dioscorea
Sphenospora pallida 1079
Discocerina
Stigmatomyces discocerinae 1051
Dracaena
Fusarium phyllophilum 438, 491
Drepanothrips
Neozygites cucumeriformis 568
Drosophila
Stigmatomyces entomophilus 1051
Elachiptera
Stigmatomyces constrictus 1051
Elaeis
Fusarium verticillioides 492
Elaphomyces
Cordyceps 743
capitata 616
ophioglossoides 616
Emmalocera
Fusarium sacchari 491
Ephydra
Stigmatomyces ephydrae 1053
Eragrostis
Parepichloe cinerea 229
Erica
Peniophora versicolor 642
Eucalyptus
Ceratocystis eucalypti 97
Pestalotiopsis steyaertii 295
Zugazaea agyrioides 698
Euphorbia
Fusarium anthophilum 488
Fagus
Ceratocystis virescens 97
Peniophora cinerea 642
Festuca
Epichloe festucae 229
Neotyphodium starrii 569–576
Tilletia bromi 1031, 1038
fusca 310, 1031
Ustilago bullata 1032
Ficus
Fusarium lactis 437, 490
proliferatum 491
ramigenum 438, 482–483
verticillioides 438
Pleurotus cystidiosus 1065
gemmellarii 1072
Fritillaria
Fusarium redolens 482–483
Garcilassa
Puccinia garcilassae 518, 521
Uredo garcilassae 521
Gasteria
Fusarium phyllophilum 438, 491
Gaultheria
Oidiodendron griseum 858
maius 858
Gentiana
Cronartium flaccidum 246
Phoma gentianae-sino-ornatae 295
Geophila
Diorchidium amapaensis 1079, 1081, 1083
Puccinia geophilae 1083
Gigantochloa
Parepichloe bambusae 229, 231
Glyceria
Ustilentyloma fluitans 965
Glycine
Fusarium solani f. sp. glycines 414
Gossypium
Fusarium proliferatum 438, 491
Guarea
Phanerochaete flava 134
Haemanthus
Fusarium bulbicola 436, 489
Heteropsylla
Fusarium pseudocircinatum 482–483
Hippeastrum
Fusarium anthophilum 436, 488
Holcus
Epichloe clarkii 229
Hordeum
Drechslera graminea 63
Fusarium concolor 489
Hydrobaenus
Smittium caudatum 428
kansense 430–431
Synglіocladium intricatum 744
Hydrochasma
Stigmatomyces hydrochasmatis 1047, 1052
Hyparrhenia
Parepichloe sclerotica 229
Ilythea
Ilytheomyces anomalus 1047
lingulatus 1049
manubriolatus 1049
Stigmatomyces ilytheae 1052
Ipomoea
Ceratocystis fimbriata 97
Fusarium acutatum 482–483
denticulatum 437, 482–483, 489
Ips
Ceratocystis laricicola 97
Juncus
Dwayaangam junci 304
Heleiso barbatula 328
Orbilia junci 303–304, 306–308
Kandelia
Halophytophthora vesicula 1001–1003, 1005
Koelreuteria
Pleurotus cystidiosus 1065
gemmellarii 1072
Ktenostreptus
Cryptodidymosphaerites princetonensis 667, 668, 670
Rickia siddhartha 288
Kunzea
Pleurotus australis 1069
Lagerstroemia
Tricholoma pachymeres 500
Lagerstromea
Macrocybe titans 503
Larix
Ceratocystis laricicola 97
Leptocera
Stigmatomyces crassicollis 1051
Leptopsilopa
Stigmatomyces rugosus 1053
Leptospermum
Pleurotus australis 1069
Leptosphaeria
Didymosphaeria conoidea 671
Lilioceris
Fusarium redolens 491
Limnophora
Stigmatomyces limnophorae 1052
Limothrips
Neozygites parvispora 565–568
Linnaea
Ceramothyrium linnaeae 823
Liquidambar
Pleurotus cystidiosus 1065
Liriodendron
Ceratocystis virescens 97
Loftus
Fusarium anthophilum 488
Loiseleuria
Oidiodendron griseum 858
maius 858
Lolium
Gloeotinia temulenta 423
Neotyphodium starrii 570, 575
Tilletia sp. 1019
Lupinus
Didymella lupini 730
Mycosphaerella lupini 728, 729
Thedgonia lupini 726, 728
Lycopersicum
Alternaria alternata 813, 818
solani 813–814, 818
Lymantria
Entomophaga maimaiga 754–760
Macrotermes
Cordycepioideus bisporus 611–612
Malus
Botryodiplodia theobromae 295
dothidea 603
Fusicoccum aesculi 603
Medicago
Fusarium nelsonii 506
Phoma medicaginis 295
Stagonospora meliloti 294
Megachile
Ascosphaera apis 937
Melaleuca
Botryosphaeria ribis 603
Fusicoccum sp. 603
Melampyrum
Cronartium flaccidum 1028
sp. 1029
Melicocca
Tricholoma pachymeres 500
Microtendipes
Cordyceps variabilis 747
Smittium commune 430
Milletia
Diorchidium 1079
Molina
Stagonospora subseriata 294
Molinia
Stagonospora subseriata 294
Morus
Fusarium proliferatum 438, 491
Musa
Fusarium camptoceras 506
concentricum 436, 482–483, 489
musarum 506
sacchari 438, 491
thapsinum 492
verticillioides 492
Myrica
Cronartium comptoniae 246
Nardurus
Tilletia bromi 312, 321, 1031, 1038
fusca 1037
Ustilago bullata 1032
Nerine

Fusarium bulbicola 436, 482–483
Nicotiana
Fusarium nygamai 437, 490
proliferatum 491
Nilaparvata
Fusarium concentricum 437, 489
verticillioides 492
Nothofagus
Chalara australis 97
Fusarium babinda 488
Helicoon septatissimum 916
Pleurotopsis longinqua 595
Pleurotus purpureo-olivaceus 1063, 1065, 1069
Nuphar
Rhamphospora nymphaeae 965
Nymphaea
Rhamphospora nymphaeae 965, 968
Opalimosina
Stigmatomyces crassicollis 1051
Oplismenus
Parepichloe oplismeni 229
Orthoclada
Balansia asclerotiaca 109
Coelomomyces stegomyiae 559
Orthocladius
Smittium caudatum 428
commune 430
kansense 431–432
Synglioclad ium tetanopsis 743–744, 746, 750, 751
Oryza
Fusarium annulatum 436, 488
Fusarium fujikuroi 437, 489
Fusarium nygamai 437, 490
Fusarium verticillioides 438, 492
Microdochium oryzae 995
Tilletia barclayana 1019
Oyedaea
Puccinia holwayula 520
Pachyiulus
Paleoserenomyces allenbyensis 667–671
Rickia pachyiuli 288
Paeonia
Cronartium flaccidum 246, 1028
Panicum
Balansia asperata 109
claviceps 109
Tilletia barclayana 1019
Paralymna
Stigmatomyces ventriosus 1049
Parydra
Stigmatomyces bettellae 1047, 1049
parydrae 1049
pinguis 1049
Paspalum
Tilletia barclayana 1019
rugispora 1019
Pedicularis
Cronartium flaccidum 1028
Pennisetum
Balansia discoidea 109
Fusarium napiforme 437, 490
pseudonygamai 438, 482–483
Phaenopsectra
Cordyceps michiganensis 747
Smittium commune 430
Phalaris
Tilletia menieri 312, 317, 319
Phoenix
Serenomyces 671
Phthitia
Stigmatomyces crassicollis 1051
Phyllocactus
Fusarium verticillioides 492
Phyllostachys
Fusarium nisikadoi 490
Picea
Ceratocystis coerulescens 97
polonica 97
rufipenni 97
Peniophora piceae 642
Peridermium coloradense 247
Phaeocollybia spadicea 122
Scopulariopsis brevicaulis 298
Pino
Fusarium circinatum 436
Puccinia thlaspeos 847, 849, 850
Pinus
Aleurocystidiellum subcruentatum 642
Armillaria mellea 397
Ceratocystis coerulescens 97
Cronartium 244
arizonicum 246
quercuum f. sp. banksianae 246
quercuum f. sp. echinatae 246
quercuum f. sp. fusiforme 246
ribicola 1029
Fusarium bactridioides 488
circinatum 436, 482–483, 489
pseudocircinatum 438, 482–483
verticillioides 492
Oidiodendron griseum 856
tenuissimum 856
Peniophora pini 642
Peridermium 244
Peridermium appalachianum 246
bethelii 247
cerebrum 246
comptoniae 246
conigenum 246
cornui 246
filamentosa 246
harknessii 247
occidentale 246
pini 247
pyriforme 246
stalactiforme 246, 254
strobi 246–247
strobilinum 247
Phaeocollybia latispora 120
mexicana 122
sp. 118
Sphaeropsis sapinea 603
Stenocybe fragmenta 1088
Piptadenia
Diorchidium 1081
brasiliensis 1081
piptadeniae 1081
puiggarii 1081
Puccinia piptadeniae 1081
Pisonia
Phanerochaete flava 134
Pistacia
Botryosphaeria rhodina 603
Lasiodiplodia theobromae 603
Pithecellobium
Diorchidium acanthostephum 1083
Puccinia aculeatispora 1083
Plantago
Fusarium anthophilum 488
Platanus
Pleurotus smithii 1069
Poa
Tilletia fusca 1031
Tilletia togwateei 1031, 1035
Populus
Peniophora polygonia 642
rufa 642
Pleurotus cystidiosus 1065
smithii 1065, 1069
Stenocybe fragmenta 1088
Procyliosoma
Metarhizium anisopliae 589
Triainomyces hollowayanus 282, 283, 285
Prosopis
Piriformospora indica 896, 898
Protea
Gondwanamyces proteae 140
Prunus
Botryosphaeria dothidea 603
Epicoccum purpurascens 947
Fusicoccum aesculi 603
Pseudocollinella
Stigmatomyces crassicollis 1051
Pseudotosuga
Stenocybe fragmenta 1088
Pseudotsuga
Ceratocystis douglasii 97
Fusarium redolens 491
Psidium
Pleurotus gemmellarii 1072
smithii 1065, 1069
Psilopa
Stigmatomyces rugosus 1053
Pteridium
Uredinopsis kameiana 525
spp. 524
Uredo verruculosa 524
Puccinia
Fusarium sacchari 491
Pulvinaria
Fusarium sacchari 491
Pyrilla
Fusarium sacchari 491
Quercetum
Neozygites parvispora 568
Phaeocollybia subarduennensis 120
Quercus
Aleurocystidiellum disciforme 642
Botryosphaeria rhodina 603
stevensii 603
Ceratocystis virescens 97
Coccodinium bartschii 823
Cronartium conigenum 246
quercuum f. sp. virginianae 246
strobilinum 247
Diplodia mutila 603
quercina 603
Helicoon chlamydosporum 919
maioricensis 917, 919
pluriseptatum 919
richonis 919
sessile 919
Lasiodiplodia theobromae 603
Phomatospora albomaculans 328
Pleurotus cystidiosus 1065
smithii 1069
Septoria quercicola 189–190
Stenocybe fragmenta 1088
Tuber aestivum 393
albidum 392, 393
maculatum 393
magnatum 393
melamosporum 393, 544
Rachispoda
Stigmatomyces crassicollis 1051
Ranunculus
Entyloma microsporum 968f
Rhamnus
Stenocybe fragmenta 1087–1088, 1090
Rhinopomyzella
Stigmatomyces pentandrus 1053
Rhizophora
Botryosphaeria ribis 603
Fusicoccum sp. 603
Rhododendron
Oidiodendron maius 858
Rhopalosiphum
Fusarium proliferatum 491
Ribes
Cronartium occidentale 246
ribicola 246–247, 1029

Uredo ribesii-andicolae 523
Rosa
Vuilleminia cystidiata 642
Rubus
Aleurodiscus aurantius 642
Saccharum
Fusarium sacchari 438, 482–483
Macrocybe spectabilis 498
Stagonospora subseriata 292
Salix
Acanthophysium cerrusatum 642
Pleurotus smithii 1069
Salvia
Puccinia 1079
Sambucus
Calocybe gambosa 495
Sansevieria
Fusarium phyllophilum 438, 491
Sasa
Parepichloe sasae 229, 231
Schinus
Pleurotus smithii 1065, 1069
Schizostachyum
Hypocrella schizostachyi 44
Schoenocrambe
Puccinia monoica 847, 849, 850
Scirpophaga
Fusarium sacchari 491
Scirpus
Phaeosphaeria barriae 1075–1076
Phomatospora berkeleyi 325, 329
Secale
Gloeotinia temulenta 423
Tilletia controversa 312
Serenoa
Serenomyces sp. 671
Setacera
Stigmatomyces ephydrae 1053
Setaria
Balansia claviceps 109
discoidea 109
Silene
Ustilago violacea 372, 376, 378
Sitobion
Fusarium proliferatum 491
Sitona
Fusarium proliferatum 491
Solanum
Alternaria alternata 813, 818
solani 813–814, 818
Fusarium pseudocircinatum 438, 482–483
Solidago
Fusarium verticillioides 492
Sophora
Pleurotus australis 1069
Sorghum
Fusarium nygamai 437, 490
proliferatum 491
sacchari 491
thapsinum 438, 492
verticillioides 492
Gibberella thapsina 890
Sparganium
Nannfeldtiomyces sparganii 965
Spelobia
Stigmatomyces crassicollis 1051
Sphenopholis
Epichloe amarillans 229
Spodoptera
Fusarium verticillioides 492
Spondis
Tricholoma pachymeres 500
Sporobolus
Parepichloe cinerea 229
Striga
Fusarium brevicatemulatum 436, 460, 482–483, 488
nygamai 437, 490
verticillioides 438
Succisa
Fusarium succisae 438, 492
Syringa
Botryodiplodia dothidea 603
Fusicoccum aesculi 603
Taxodium
Laurilia taxodii 19
Tecoma
Prospodium manabii 518
Terrilimosina
Stigmatomyces crassicollis 1051
Theobroma
Fusarium camptoceras 506
Thrips
Neozygites parvispora 566
Tilia
Coccodinium bartschii 823
Tuber magnatum 393
Trichosanthes
Fusarium verticillioides 492
Trifolium
Fusarium globosum 489
Stagonospora meliloti 294
Trigonella
Fusarium proliferatum 491
verticillioides 492
Triticum
Fusarium acutatum 488
globosum 437
nisikadoi 490
proliferatum 438, 491
Polymyxa graminis 869–882
Tilletia fusca 311
goloskokovii 311
indica 180, 1019
Tsuga
Amylobasidium tsugae 6
Botryosphaeria sp. 603
Typha
Didymosphaerites bethelii 672
Phaeosphaeria barriae 1075–1076
Phomatospora berkeleyi 325, 329
muskellungensis 323, 329
Ulex
Stagonospora meliloti 294
Ulmus
Calocybe gambosa 495
Unciger
Didymosphaerites pierantonii 672
Rickia uncigeri 288
Urtica
Trichoderma atroviride 908
Vaccinium
Oidiodendron griseum 856, 858
maius 856
Pucciniastrum goeppertianum 248
Valeriana
Puccinia vinulla 522
Uredo meridae 522
quitensis 522
reicheana 522
Uromyces valerianae-microphyllae 521
Ventenata
Tilletia bromi 1031, 1038
fusca 310
Ustilago bullata 1032
Vicia
Fusarium inflexum 490
Vincetoxicum
Cronartium flaccidum 1028
Vulpia
Tilletia bromi 1031, 1038
fusca 310–311, 317, 1031–1038
fusca var. fusca 312–313, 315, 317, 321, 1031
goloskokovii 311
Ustilago bullata 1032
Washingtonia
Serenomyces 671
californicus 671
Wedelia
Puccinia machalillae 519
Xylopia
Sphenospora xylopiae 1081
Zea
Fusarium dlamini 489
globosum 482–483, 489
moniliforme 890–895
proliferatum 491
pseudoanthophilum 438, 463, 482–483
subglutinans 438, 491
verticillioides 438, 492
Gibberella fujikuroi 890–895
Glomus mosseae 792
Zerkova
Pleurotus cystidiosus 1065
Zeros
Ilytheomyces anomalus 1047
calycinus 1047, 1049
lingulatus 1049
Stigmatomyces ilytheae 1052